County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

| | e Address 19 W MAIN AV, N | MORGAN HILL, | CA 95037 | | Inspecti 02/23 | | ٦┏ | | olor & Sco | |
|--|--|-----------------------------|----------|--|-------------------|-------------|--------|-----|-------------|-----|
| Program PR0300710 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - I | -P10 | Owner Name HIN, MONG KUL | | | 10:20 - 11:35 | | | | REEN | |
| pected By Inspection Type Consent By HIN FSC Not Available HIN | | | | Ç | 91 | | | | | |
| RISK FACTORS AND INTERVENTIONS | | | | IN | Ol Major | JT Minor | COS/SA | N/O | N/A | PBI |
| K01 Demonstration of knowledge; food safety certification | | | | | | Х | | | | S |
| K02 Communicable disease; reporting/restriction/exclusion | | | | Х | | | | | | |
| K03 No discharge from eyes, nose, mouth | | | | Х | | | | | | S |
| K04 Proper eating, tasting, drinking, tobacco use | | | | Х | | | | | | |
| K05 Hands clean, properly washed; gloves used properly | | | | Х | | | | | | S |
| K06 Adequate handwash facilities supplied, accessible | | | | Х | | | | | | |
| K07 Proper hot and cold holding temperatures | | | | Х | | | | | | |
| K08 Time as a public health control; procedures & records | | | | | | | | | Х | |
| K09 Proper cooling methods | | | | | | | | | Х | |
| K10 Proper cooking time & temperatures | | | | Х | | | | | | |
| K11 Proper reheating procedures for hot holding | | | | Х | | | | | | |
| K12 Returned and reservice of food | | | | Х | | | | | | |
| K13 Food in good condition, safe, unadulterated | | | | Х | | | | | | |
| K14 Food contact surfaces clean, sanitized | | | | Х | | | | | | |
| K15 Food obtained from approved source | | | | Х | | | | | | |
| K16 Compliance with shell stock tags, condition, display | | | | | | | | | Х | |
| K17 Compliance with Gulf Oyster Regulations | | | | | | | | | Х | |
| K18 Compliance with variance/ROP/HACCP Plan | | | | | | | | | Х | |
| K19 Consumer advisory for raw or undercooked foods | | | | | | | | | Х | |
| K20 Licensed health care facilities/schools: prohibited foods not b | eing offered | | | | | | | | Х | |
| K21 Hot and cold water available | | | | Х | | | | | | |
| K22 Sewage and wastewater properly disposed | | | | Х | | | | | | |
| K23 No rodents, insects, birds, or animals | | | | Х | | | | | | |
| GOOD RETAIL PRACTICES | | | | | | | | | OUT | COS |
| K24 Person in charge present and performing duties | | | | | | | | | | |
| K25 Proper personal cleanliness and hair restraints | | | | | | | | | | |
| K26 Approved thawing methods used; frozen food | | | | | | | | | | |
| K27 Food separated and protected | | | | | | | | | | |
| K28 Fruits and vegetables washed | | | | | | | | | | |
| K29 Toxic substances properly identified, stored, used | | | | | | | | | | |
| K30 Food storage: food storage containers identified | | | | | | | | | | |
| K31 Consumer self service does prevent contamination | | | | | | | | | | |
| K32 Food properly labeled and honestly presented | | | | | | | | | | |
| K33 Nonfood contact surfaces clean | | | | | | | | | | |
| | K34 Warewash facilities: installed/maintained; test strips | | | | | | | | | |
| K34 Warewash facilities: installed/maintained; test strips | | | | K35 Equipment, utensils: Approved, in good repair, adequate capacity | | | | | | |
| K34 Warewash facilities: installed/maintained; test strips K35 Equipment, utensils: Approved, in good repair, adequate capa | acity | | | | | | | | | |
| K34 Warewash facilities: installed/maintained; test strips K35 Equipment, utensils: Approved, in good repair, adequate capa K36 Equipment, utensils, linens: Proper storage and use | acity | | | | | | | | | |
| K34 Warewash facilities: installed/maintained; test strips K35 Equipment, utensils: Approved, in good repair, adequate capa K36 Equipment, utensils, linens: Proper storage and use K37 Vending machines | acity | | | | | | | | | |
| K34 Warewash facilities: installed/maintained; test strips K35 Equipment, utensils: Approved, in good repair, adequate capa K36 Equipment, utensils, linens: Proper storage and use K37 Vending machines K38 Adequate ventilation/lighting; designated areas, use | acity | | | | | | | | | |
| K34 Warewash facilities: installed/maintained; test strips K35 Equipment, utensils: Approved, in good repair, adequate capa K36 Equipment, utensils, linens: Proper storage and use K37 Vending machines K38 Adequate ventilation/lighting; designated areas, use K39 Thermometers provided, accurate | acity | | | | | | | | | |
| K34 Warewash facilities: installed/maintained; test strips K35 Equipment, utensils: Approved, in good repair, adequate capa K36 Equipment, utensils, linens: Proper storage and use K37 Vending machines K38 Adequate ventilation/lighting; designated areas, use K39 Thermometers provided, accurate K40 Wiping cloths: properly used, stored | | | | | | | | | X | |
| K34 Warewash facilities: installed/maintained; test strips K35 Equipment, utensils: Approved, in good repair, adequate capa K36 Equipment, utensils, linens: Proper storage and use K37 Vending machines K38 Adequate ventilation/lighting; designated areas, use K39 Thermometers provided, accurate K40 Wiping cloths: properly used, stored K41 Plumbing approved, installed, in good repair; proper backflow | | | | | | | | | X | |
| K34 Warewash facilities: installed/maintained; test strips K35 Equipment, utensils: Approved, in good repair, adequate capa K36 Equipment, utensils, linens: Proper storage and use K37 Vending machines K38 Adequate ventilation/lighting; designated areas, use K39 Thermometers provided, accurate K40 Wiping cloths: properly used, stored K41 Plumbing approved, installed, in good repair; proper backflow K42 Garbage & refuse properly disposed; facilities maintained | | | | | | | | | X | |
| K34 Warewash facilities: installed/maintained; test strips K35 Equipment, utensils: Approved, in good repair, adequate capa K36 Equipment, utensils, linens: Proper storage and use K37 Vending machines K38 Adequate ventilation/lighting; designated areas, use K39 Thermometers provided, accurate K40 Wiping cloths: properly used, stored K41 Plumbing approved, installed, in good repair; proper backflow K42 Garbage & refuse properly disposed; facilities maintained K43 Toilet facilities: properly constructed, supplied, cleaned | devices | | | | | | | | X | |
| K34 Warewash facilities: installed/maintained; test strips K35 Equipment, utensils: Approved, in good repair, adequate capa K36 Equipment, utensils, linens: Proper storage and use K37 Vending machines K38 Adequate ventilation/lighting; designated areas, use K39 Thermometers provided, accurate K40 Wiping cloths: properly used, stored K41 Plumbing approved, installed, in good repair; proper backflow K42 Garbage & refuse properly disposed; facilities maintained K43 Toilet facilities: properly constructed, supplied, cleaned K44 Premises clean, in good repair; Personal/chemical storage; A | devices | in-proofing | | | | | | | | |
| K34 Warewash facilities: installed/maintained; test strips K35 Equipment, utensils: Approved, in good repair, adequate capa K36 Equipment, utensils, linens: Proper storage and use K37 Vending machines K38 Adequate ventilation/lighting; designated areas, use K39 Thermometers provided, accurate K40 Wiping cloths: properly used, stored K41 Plumbing approved, installed, in good repair; proper backflow K42 Garbage & refuse properly disposed; facilities maintained K43 Toilet facilities: properly constructed, supplied, cleaned K44 Premises clean, in good repair; Personal/chemical storage; A K45 Floor, walls, ceilings: built, maintained, clean | devices | in-proofing | | | | | | | X X X | |
| K34 Warewash facilities: installed/maintained; test strips K35 Equipment, utensils: Approved, in good repair, adequate capa K36 Equipment, utensils, linens: Proper storage and use K37 Vending machines K38 Adequate ventilation/lighting; designated areas, use K39 Thermometers provided, accurate K40 Wiping cloths: properly used, stored K41 Plumbing approved, installed, in good repair; proper backflow K42 Garbage & refuse properly disposed; facilities maintained K43 Toilet facilities: properly constructed, supplied, cleaned K44 Premises clean, in good repair; Personal/chemical storage; A | devices | in-proofing | | | | | | | | X |

OFFICIAL INSPECTION REPORT

| Facility FA0203217 - LOMBARDO'S DONUTS | • • • • • • • • • | | tion Date 3/2023 | | |
|---|---|----------------------------------|---------------------|--|--|
| Program PR0300710 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 | Owner Name 2 - FP10 HIN, MONG KUL | Inspection Time 10:20 - 11:35 | | | |
| K48 Plan review | | | | | |
| K49 Permits available | | | | | |
| K58 Placard properly displayed/posted | | | | | |

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

| | Inspector Observations: The food safety certificate is expired and no employee has a food handler card. [CA] At least one employee must have the food safety cert and all employees must have the food handler card. |
|---|---|
| • | K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e) |
| | Inspector Observations: Observed used wiping rags on tables. [CA] They must be stored in sanitizer between each use. [COS] They were put in sanitizer bucket made by the owner. |

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Observed accumulation on the floor under equipment. [CA] Clean the floor. [COS] The floor is being cleaned by the owner.

K49 - 2 Points - Permits not available; 114067(b,c), 114381(a), 114387

Inspector Observations: Observed the permit to be expired. [CA] Obtain and post the current permit.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

| ltem | Location | Measurement | Comments |
|--------|--------------------|-------------------|----------|
| milk | front refrigerator | 40.00 Fahrenheit | |
| turkey | prep refrigerator | 39.00 Fahrenheit | |
| cheese | refrigerator | 38.00 Fahrenheit | |
| water | dish sink | 120.00 Fahrenheit | |

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than <u>3/9/2023</u>. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

| [CA] | Corrective Action |
|--------|---------------------------------|
| [COS] | Corrected on Site |
| [N] | Needs Improvement |
| [NA] | Not Applicable |
| [NO] | Not Observed |
| [PBI] | Performance-based Inspection |
| [PHF] | Potentially Hazardous Food |
| [PIC] | Person in Charge |
| [PPM] | Part per Million |
| [S] | Satisfactory |
| [SA] | Suitable Alternative |
| [TPHC] | Time as a Public Health Control |

Inco,

Received By:

Signed On: February 23, 2023