

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0204933 - NORDSTROM #422-ESPRESSO BAR		Site Address 550 STANFORD SHOPPING CENTER, PALO ALTO, CA		Inspection Date 10/23/2023	
Program PR0304991 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09			Owner Name NORDSTROM RESTAURANT		Inspection Time 12:35 - 13:30
Inspected By ALELI CRUTCHFIELD	Inspection Type ROUTINE INSPECTION		Consent By SALEM	FSC Salem Dalvermy 4/14/2028	

Placard Color & Score
GREEN
86

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods	X						
K10 Proper cooking time & temperatures						X	
K11 Proper reheating procedures for hot holding	X						
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized		X		X			N
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips	X	
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use	X	
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		X
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0204933 - NORDSTROM #422-ESPRESSO BAR	Site Address 550 STANFORD SHOPPING CENTER, PALO ALTO, CA 94304	Inspection Date 10/23/2023
Program PR0304991 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name NORDSTROM RESTAURANT DIVISION	Inspection Time 12:35 - 13:30
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Observed employee wash with soap and water, and rinse the blender at the 3 compartment sink. [CA]

[CA] Manual warewashing shall be accomplished by using a three-compartment sink where the utensils are first precleaned, washed with hot soapy water, rinsed with hot water, sanitized with an approved method using quaternary ammonium (200 PPM), and air dried. [COS] Employee was instructed to sanitize the blender.

Minor Violations

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Lack of quaternary ammonia test strips for sanitizer. [CA] Provide quaternary ammonia test strips to ensure sanitizer concentration reaches at least 200 ppm.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: Observed ice scoop stored on top of ice machine. [CA] Store scoop in a sanitary container between uses or store in ice with the handle up.

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations: Lack of thermometer at the beverage unit across from espresso machine. [CA] Provide a thermometer for this unit.

Performance-Based Inspection Questions

Needs Improvement - Food contact surfaces clean, sanitized.

Measured Observations

Item	Location	Measurement	Comments
water	hand sink	100.00 Fahrenheit	
salad w/ cheese	single door reach in	41.00 Fahrenheit	
water	3 comp sink faucet	126.00 Fahrenheit	
quaternary ammonia	3 comp sink sanitizer dispenser	200.00 PPM	
croissant	2 door reach in- back area	35.00 Fahrenheit	
ambient	sandwich/salad unit	40.00 Fahrenheit	
ambiet	2 door reach in - back area	37.00 Fahrenheit	
milk	beverage unit- behind counter	41.00 Fahrenheit	

Overall Comments:


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/6/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0204933 - NORDSTROM #422-ESPRESSO BAR	Site Address 550 STANFORD SHOPPING CENTER, PALO ALTO, CA 94304	Inspection Date 10/23/2023
Program PR0304991 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name NORDSTROM RESTAURANT DIVISION	Inspection Time 12:35 - 13:30

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Salem
Person in charge

Signed On: October 23, 2023