

# County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

Facility FA0252726 - ELYSE RESTAURANT		Site Address 96 S 1ST ST, SAN JOSE, CA 95113		Inspection Date 07/10/2024	
Program PR0367909 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name ELYSE 2.0, LLC		Inspection Time 18:00 - 20:00
Inspected By LAWRENCE DODSON	Inspection Type ROUTINE INSPECTION		Consent By THACH LE	FSC Kenhole Wong 7/25/2027	

Placard Color & Score
<b>GREEN</b>
<b>85</b>

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification			X				
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible			X				
K07 Proper hot and cold holding temperatures			X				
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use	X	
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		X
K41 Plumbing approved, installed, in good repair; proper backflow devices		X
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0252726 - ELYSE RESTAURANT	<b>Site Address</b> 96 S 1ST ST, SAN JOSE, CA 95113	<b>Inspection Date</b> 07/10/2024
<b>Program</b> PR0367909 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	<b>Owner Name</b> ELYSE 2.0, LLC	<b>Inspection Time</b> 18:00 - 20:00
<b>K48</b> Plan review		
<b>K49</b> Permits available		
<b>K58</b> Placard properly displayed/posted		

## Comments and Observations

### Major Violations

No major violations were observed during this inspection.

### Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

**Inspector Observations: Food handler cards are not available for review.**

**[CA] Each food handler shall maintain a valid food handler card for the duration of his or her employment as food handler. A valid food handler card shall be provided within 30 days of after the date of hire.**

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

**Inspector Observations: rear hand wash sink does not dispense liquid hand cleanser and single use paper towels.**

**[CA] Handwashing facilities shall be equipped with handwashing cleanser and single-use sanitary towels in dispensers.**

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

**Inspector Observations: Pasta and mushrooms at preparation unit and drawer refrigerator(cook line) measured >41F,<135F,<2hrs.**

**[CA] PHFs shall be held at 41°F or below or at 135°F or above. PHF moved to walk in refrigerator for rapid cooling.**

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

**Inspector Observations: Co2 tank is not secured to a rigid structure.[CA] All pressurized cylinders shall be securely fastened to a rigid structure.**

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

**Inspector Observations: Wet/used wiping towels stored on preparation table.**

**[CA] Wiping towels shall be stored in sanitizing solution of an approved concentration when not in use (100 ppm - chlorine, 200 ppm - quaternary ammonium).**

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

**Inspector Observations: Air gap at food preparation sink is less than 1".[CA] Food preparation sink shall discharge liquid waste by means of indirect waste pipes into a floor sink or other approved type of receptor equipped with a minimum 1" air gap.**

### Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

### Measured Observations

Item	Location	Measurement	Comments
cooked pasta	drawer refrigerator	49.00 Fahrenheit	
water	3 compartment sink	120.00 Fahrenheit	
mushrooms	preparation refrigerator	49.00 Fahrenheit	
walk-in	storage	36.00 Fahrenheit	
sanitizer concentration	mechanical dishwasher	50.00 PPM	
bean sprouts	walk-in refrigerator	38.00 Fahrenheit	
egg yolk	walk-in refrigerator	38.00 Fahrenheit	

### Overall Comments:

**Current permit category will be evaluated for possible change to a risk category 3.**

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0252726 - ELYSE RESTAURANT	<b>Site Address</b> 96 S 1ST ST, SAN JOSE, CA 95113	<b>Inspection Date</b> 07/10/2024
<b>Program</b> PR0367909 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	<b>Owner Name</b> ELYSE 2.0, LLC	<b>Inspection Time</b> 18:00 - 20:00

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/24/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

## Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



---

**Received By:** Thach Le  
PIC  
**Signed On:** July 10, 2024