

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0213251 - MOM'S BIRYANI		Site Address 103 E FREMONT AV, SUNNYVALE, CA 94087	Inspection Date 06/03/2025
Program PR0300517 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name MOMS BIRYANI LLC	Inspection Time 15:15 - 15:45
Inspected By SUKHREET KAUR	Inspection Type FOLLOW-UP INSPECTION	Consent By NASIR MEHMOOD	

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

Cited On: 06/03/2025

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

Inspector Observations: Observed sewage overflowing from the floor drain located near three compartment sink when mop sink water is turned on. Observed hand wash sink at the kitchen not draining water properly and water filling in the sink compartment.

[CA] Food facility shall not operate if there is sewage overflowing or backing up in the food facility. The food facility, or impacted areas, shall remain closed until all plumbing problems have been corrected and all contaminated surfaces have been cleaned and sanitized.

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

On site for follow up inspection for routine inspection conducted on 6/3/25.

K22 Major violation has been corrected.

Per manager, a plumber was able to clear the drain pipes. Both mop sink and hand wash sink in the kitchen are draining water properly. No overflow of waste water observed.

Facility is ok to reopen.

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/17/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By: NASIR MEHMOOD
MANAGER
Signed On: June 03, 2025