

# County of Santa Clara

## Department of Environmental Health

### Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0282796 - KETTLE'E		<b>Site Address</b> 1610 EL CAMINO REAL, SANTA CLARA, CA 95050		<b>Inspection Date</b> 02/29/2024		<b>Placard Color &amp; Score</b> <div style="background-color: black; color: white; padding: 10px; text-align: center;"> <b>RED</b>  <b>76</b> </div>		
<b>Program</b> PR0424172 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			<b>Owner Name</b> MOHAMMAD USMAN, YUSZF		<b>Inspection Time</b> 11:10 - 12:45			
<b>Inspected By</b> FARHAD AMIR-EBRAHIMI		<b>Inspection Type</b> ROUTINE INSPECTION		<b>Consent By</b> PETER ROZARIO				<b>FSC</b>

  

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification					X		
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly			X	X			N
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures			X				
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized					X		
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered							
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed		X					
K23	No rodents, insects, birds, or animals	X						

  

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean	X	
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45	Floor, walls, ceilings: built, maintained, clean	X	
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

Facility FA0282796 - KETTLE'E	Site Address 1610 EL CAMINO REAL, SANTA CLARA, CA 95050	Inspection Date 02/29/2024
Program PR0424172 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name MOHAMMAD USMAN, YUSZRA CORPORATION	Inspection Time 11:10 - 12:45
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

## Comments and Observations

### Major Violations

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

**Inspector Observations: REPEAT VIOLATION:**

**No drain pipe at the three-compartment sink. Waste water is draining directly to the floor [CA] Waste water must drain into the sewer - FACILITY MUST REMAIN CLOSED UNTIL THIS VIOLATION IS CORRECTED. CALL 408-918-3456 AND VIOLATION IS CORRECTED.**

**RED PLACARD POSTED.**

### Minor Violations

K05 - 3 Points - Hands not clean/improperly washed/gloves not used properly; 113952, 113953.3, 113953.4, 113961, 113968, 113973 (b-f)

**Inspector Observations: Employee washed hands with soap for 5 seconds [CA] All food employees shall thoroughly wash their hands and that portion of their arms exposed to direct food contact with soap and vigorously rub hands together to lather up for at least 10 to 15 seconds. They shall rinse hands with warm water followed by drying with paper towels. Employees shall pay attention to the hands. – Corrected**

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

**Inspector Observations: Chocolate prep cooler with glass door at 45F now [CA] Monitor cooler and maintain at 41F or cooler.**

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

**Inspector Observations: Most food storage containers are not labeled [CA] Label the containers as to their content**

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

**Inspector Observations: Walk-in cooler condenser unit and adjacent ceiling show black dust buildup [CA] Clean the area**

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

**Inspector Observations: Lack chlorine test paper [CA] Provide chlorine test paper and check levels daily**

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

**Inspector Observations: Backpacks and other personal items are stored in various areas of the kitchen [CA] Store personal items in the locker - Corrected**

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

**Inspector Observations: There is an opening in the ceiling by the walk-in cooler [CA] Seal the opening to deny access to rodents and insects.**

### Performance-Based Inspection Questions

Needs Improvement - Hands clean/properly washed/gloves used properly.

# OFFICIAL INSPECTION REPORT

Facility FA0282796 - KETTLE'E	Site Address 1610 EL CAMINO REAL, SANTA CLARA, CA 95050	Inspection Date 02/29/2024
Program PR0424172 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name MOHAMMAD USMAN, YUSZRA CORPORATION	Inspection Time 11:10 - 12:45

## Measured Observations

Item	Location	Measurement	Comments
Ice cream	Freezer	11.00 Fahrenheit	
Eggs	Walk-in cooler	40.00 Fahrenheit	
Milk	Glass door cooler	45.00 Fahrenheit	
Chicken	Line cooler	41.00 Fahrenheit	
Meat	Walk-in freezer	7.00 Fahrenheit	
Samosa	Front warmer	139.00 Fahrenheit	
Water	3-comp sink	122.00 Fahrenheit	

## Overall Comments:

## CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/14/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

### Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Peter Rozario

Signed On: February 29, 2024