

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0283384 - PANDA EXPRESS #2684		Site Address 1700 S BASCOM AV, CAMPBELL, CA 95008		Inspection Date 12/01/2023		Placard Color & Score GREEN 92		
Program PR0425077 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name PANDA EXPRESS GROUP IN		Inspection Time 10:00 - 11:15			
Inspected By HELEN DINH		Inspection Type ROUTINE INSPECTION		Consent By HIEU (M)				FSC Hieu Nguyen 4/18/27

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records			X				
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan							
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X	X			
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		X
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0283384 - PANDA EXPRESS #2684	Site Address 1700 S BASCOM AV, CAMPBELL, CA 95008	Inspection Date 12/01/2023
Program PR0425077 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name PANDA EXPRESS GROUP INC	Inspection Time 10:00 - 11:15
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K08 - 3 Points - Improperly using time as a public health control procedures & records; 114000

Inspector Observations: Observed potentially hazardous foods at service line under time as a public health (TPHC) according to person in charge (PIC), however no time mark is observed. [CA] When time only, rather than time and temperature is used as a public health control, PHFs shall be time marked to indicate when item is removed from temperature control, discarded if not consumed or served within 4 hours, and written procedures shall be readily available for review.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Measured water temperature holding at 106F at warewash sink. [CA] Provide an adequate, pressurized, potable supply of hot water at a minimum of 120F for all sinks with the exception of hand wash sink to be held between 100F -108F. [COS] Final reading at 120F.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Found a leaking faucet at warewash sink (left side) when water knob is off. [CA] Repair leak.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
ambient	walk-in-freezer	2.90 Fahrenheit	
warm water	handsink (front, back & RR)	100.00 Fahrenheit	
egg rolls	2 door reach in freezer	0.90 Fahrenheit	
white rice	rice cooker	163.00 Fahrenheit	
noodles	hot holding	178.00 Fahrenheit	under time as a public health control (TPHC)
dumpling	walk-in	32.00 Fahrenheit	
chicken teriyaki	hot holding	167.00 Fahrenheit	under TPHC
fried rice	hot holding	181.00 Fahrenheit	under TPHC
meat	5 door reach in	32.00 Fahrenheit	
hot water	warewash/(2x) 1-comp/mop sink	106.00 Fahrenheit	final reading at 120F.
orange chicken	hot holding	120.00 Fahrenheit	120F - 148F, under TPHC
meats	walk-in	40.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/15/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0283384 - PANDA EXPRESS #2684	Site Address 1700 S BASCOM AV, CAMPBELL, CA 95008	Inspection Date 12/01/2023
Program PR0425077 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name PANDA EXPRESS GROUP INC	Inspection Time 10:00 - 11:15

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Hieu Nguyen
Manager

Signed On: December 01, 2023