

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0255285 - BREAKTIME CAFE & TEA		Site Address 110 E SAN FERNANDO ST, SAN JOSE, CA 9511274	Inspection Date 03/11/2026
Program PR0372777 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name CCA EXPRESS, INC	Inspection Time 16:50 - 17:20
Inspected By ALEXANDER ALFARO	Inspection Type FOLLOW-UP INSPECTION	Consent By HAI	

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

Cited On: 02/27/2026

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Compliance of this violation has been verified on: 03/11/2026

Cited On: 02/27/2026

K13 - 8 Points - Food not in good condition/unsafe/adulterated; 113967, 113976, 113980, 113988, 113990, 114035, 114041, 114254(c), 114254.3

Compliance of this violation has been verified on: 03/11/2026

Cited On: 02/27/2026

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 03/11/2026

Minor Violations

Cited On: 02/27/2026

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Compliance of this violation has been verified on: 03/11/2026

Measured Observations

Item	Location	Measurement	Comments
Chicken	Upright cooler	12.00 Fahrenheit	
Chlorine	Three Compartment Sink	100.00 PPM	
Chicken	Undercounter Cooler	28.00 Fahrenheit	

Overall Comments:

Onsite for the first follow up inspection.

Observations:

K07: Chicken was found thawing in the upright cooler. All PHFs were in an appropriate time and temperature relationship.

K13: Ice machine was clean and no adulterated product was observed.

K14: Dishes were being sanitized properly at the three compartment sink.

K45: Facility has cleaned the grease and dust.

Continue to correct any and all pending violations.

OFFICIAL INSPECTION REPORT

Facility FA0255285 - BREAKTIME CAFE & TEA	Site Address 110 E SAN FERNANDO ST, SAN JOSE, CA 951127411	Inspection Date 03/11/2026
Program PR0372777 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name CCA EXPRESS, INC	Inspection Time 16:50 - 17:20

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/25/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Hai
Owner
Signed On: March 11, 2026