

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0271161 - ORIGINAL GRAVITY PUBLIC HOUSE		Site Address 66 S FIRST ST, SAN JOSE, CA 95113		Inspection Date 01/16/2025		Placard Color & Score GREEN 96			
Program PR0409300 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name CACHE BOTTLE SHOP &TAS		Inspection Time 19:25 - 20:10				
Inspected By ALEXANDER ALFARO		Inspection Type ROUTINE INSPECTION		Consent By ELIAS				FSC Exempt	

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification						X	
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use	X	
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built,maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0271161 - ORIGINAL GRAVITY PUBLIC HOUSE	Site Address 66 S FIRST ST, SAN JOSE, CA 95113	Inspection Date 01/16/2025
Program PR0409300 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name CACHE BOTTLE SHOP & TASTING BAR	Inspection Time 19:25 - 20:10
K48	Plan review	X
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations:

In the alcove area, at the ice machine, the scooper's handle was in direct contact with ice meant for consumption.

[CA] Handle to ice scoop shall be stored so that it is not in direct contact with ice.

K48 - 2 Points - Plan review unapproved; 114380

Inspector Observations:

Per Final Inspection for SR0871558, the back bar dishwasher was removed for approval. A dishwasher was observed in the back bar area.

[CA] A person proposing to build or remodel a food facility shall submit plans and specifications for review and shall receive plan approval prior to starting any new construction or remodeling. Contact DEH at 408-918-3400 or at www.ehinfo.org to obtain plan check requirements. Submit plans for approval of the dishwasher or remove from the facility.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Juice	Undercounter Cooler	41.00 Fahrenheit	
Water	Three Compartment Sink	120.00 Fahrenheit	
Chlorine	Dishwasher - Front Bar	50.00 PPM	
Water	Hand Sinks - All	100.00 Fahrenheit	
Water	Dishwasher - Back Bar	162.00 Fahrenheit	
Alcohol	Walk in Cooler	38.00 Fahrenheit	

Overall Comments:

Notes:

- All food preparation is done by neighboring facility, Paper Plane. Facilities have direct access to each other and dishes are taken to Paper Plane for washing.
- Facility has removed its kitchen area following SR0871558.
- A permit downgrade to FP09 may be required.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/30/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0271161 - ORIGINAL GRAVITY PUBLIC HOUSE	Site Address 66 S FIRST ST, SAN JOSE, CA 95113	Inspection Date 01/16/2025
Program PR0409300 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name CACHE BOTTLE SHOP & TASTING BAR	Inspection Time 19:25 - 20:10

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Elias Kassner
Assistant General Manager

Signed On: January 16, 2025