

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0265703 - SUBWAY #46773		Site Address 980 S WINCHESTER BL, SAN JOSE, CA 95128		Inspection Date 05/15/2026		Placard Color & Score GREEN 88		
Program PR0392349 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name ALAMEDA SUB INC.		Inspection Time 12:50 - 13:50			
Inspected By HINA WYNE		Inspection Type ROUTINE INSPECTION		Consent By EVELIA MARTINEZ				FSC EVELIA MARTINEZ 10/07/2030

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures			X				N
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				N
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		X
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0265703 - SUBWAY #46773	Site Address 980 S WINCHESTER BL, SAN JOSE, CA 95128	Inspection Date 05/15/2026
Program PR0392349 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name ALAMEDA SUB INC.	Inspection Time 12:50 - 13:50
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Steak and tuna was measured 44F at the cold display unit.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] PIC replaced the food items with the new container from the walk in unit.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot running water for the hand sink in the back area was measured 80F.

[CA] Handwashing facilities equipped with a mixing valve that is not readily adjustable at the faucet, shall provide warm water at least 100°F, but not greater than 108°F.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Three-compartment sink faucet was leaking.

[CA] Fix the leakage.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: Open base coving near the food prep sink.

[CA] Eliminate gap greater than 1/4" to prevent the entrance and harborage of vermin.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Walk in refrigeration entrance has a broken base coving.

[CA] The juncture of the floor and wall shall be coved with a 3/8-inch minimum radius coving and shall extend up the wall at least 4 inches.

Performance-Based Inspection Questions

Needs Improvement - Proper hot and cold holding temperatures.

Needs Improvement - Hot and cold water available.

Measured Observations

Item	Location	Measurement	Comments
HOT WATER	FOOD PREP SINK	120.00 Fahrenheit	
HOT WATER	HAND WASHING BEHIND THE COUNTER	100.00 Fahrenheit	
SHREDED CHICKEN	WALK IN COOLER	38.00 Fahrenheit	
TUNA	COLD DISPLAY	44.00 Fahrenheit	REPLCED
QA SANITIZER	3-COMP SINK	200.00 PPM	
CHICKEN CREAM SOUP	HOT HOLDING	138.00 Fahrenheit	
HOT WATER	3-COMP SINK	120.00 Fahrenheit	
HOT WATER	HAND WASHING RESTROOM	100.00 Fahrenheit	
STEAK	COLD DISPLAY	44.00 Fahrenheit	REPLACED
MEAT BALLS	HOT HOLDING	145.00 Fahrenheit	
COOKIE DOUGH	WALK IN FREEZER	15.00 Fahrenheit	
CHICKEN CUBES	COLD DISPLAY	40.00 Fahrenheit	
TOMATOES	COLD DISPLAY	40.00 Fahrenheit	
CHICKEN SOUP	HOT HOLDING	140.00 Fahrenheit	
HOT WATER	HANDWASHING BACK AREA	80.00 Fahrenheit	
CHICKEN TERIYAKI	WALK IN COOLER	38.00 Fahrenheit	

OFFICIAL INSPECTION REPORT

Facility FA0265703 - SUBWAY #46773	Site Address 980 S WINCHESTER BL, SAN JOSE, CA 95128	Inspection Date 05/15/2026
Program PR0392349 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name ALAMEDA SUB INC.	Inspection Time 12:50 - 13:50

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/29/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: EVELIA MARTINEZ

Signed On: May 15, 2026