

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

| | | | | | |
|--|--|--|--------------------------------|--------------------------------------|---|
| Facility FA0250271 - SELVA | | Site Address 44 S ALMADEN AV, SAN JOSE, CA 95112 | | Inspection Date 05/22/2026 | |
| Program PR0360586 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 1 - FP12 | | | Owner Name SELVA LLC | | Inspection Time 19:30 - 20:15 |
| Inspected By ALEXANDER ALFARO | | Inspection Type ROUTINE INSPECTION | | Consent By ANTOINE | |
| FSC Exempt | | | | | |

| |
|----------------------------------|
| Placard Color & Score |
| GREEN |
| 90 |

| RISK FACTORS AND INTERVENTIONS | IN | OUT | | COS/SA | N/O | N/A | PBI |
|---|----|-------|-------|--------|-----|-----|-----|
| | | Major | Minor | | | | |
| K01 Demonstration of knowledge; food safety certification | | | | | | X | |
| K02 Communicable disease; reporting/restriction/exclusion | X | | | | | | S |
| K03 No discharge from eyes, nose, mouth | X | | | | | | |
| K04 Proper eating, tasting, drinking, tobacco use | X | | | | | | |
| K05 Hands clean, properly washed; gloves used properly | X | | | | | | S |
| K06 Adequate handwash facilities supplied, accessible | X | | | | | | S |
| K07 Proper hot and cold holding temperatures | X | | | | | | |
| K08 Time as a public health control; procedures & records | | | | | | X | |
| K09 Proper cooling methods | | | | | | X | |
| K10 Proper cooking time & temperatures | | | | | | X | |
| K11 Proper reheating procedures for hot holding | | | | | | X | |
| K12 Returned and reservice of food | X | | | | | | |
| K13 Food in good condition, safe, unadulterated | | X | | X | | | |
| K14 Food contact surfaces clean, sanitized | X | | | | | | |
| K15 Food obtained from approved source | X | | | | | | |
| K16 Compliance with shell stock tags, condition, display | | | | | | X | |
| K17 Compliance with Gulf Oyster Regulations | | | | | | X | |
| K18 Compliance with variance/ROP/HACCP Plan | | | | | | X | |
| K19 Consumer advisory for raw or undercooked foods | | | | | | X | |
| K20 Licensed health care facilities/schools: prohibited foods not being offered | | | | | | X | |
| K21 Hot and cold water available | X | | | | | | |
| K22 Sewage and wastewater properly disposed | X | | | | | | |
| K23 No rodents, insects, birds, or animals | X | | | | | | |

| GOOD RETAIL PRACTICES | OUT | COS |
|---|-----|-----|
| K24 Person in charge present and performing duties | | |
| K25 Proper personal cleanliness and hair restraints | | |
| K26 Approved thawing methods used; frozen food | | |
| K27 Food separated and protected | | |
| K28 Fruits and vegetables washed | | |
| K29 Toxic substances properly identified, stored, used | | |
| K30 Food storage: food storage containers identified | | |
| K31 Consumer self service does prevent contamination | | |
| K32 Food properly labeled and honestly presented | | |
| K33 Nonfood contact surfaces clean | | |
| K34 Warewash facilities: installed/maintained; test strips | | |
| K35 Equipment, utensils: Approved, in good repair, adequate capacity | | |
| K36 Equipment, utensils, linens: Proper storage and use | | |
| K37 Vending machines | | |
| K38 Adequate ventilation/lighting; designated areas, use | | |
| K39 Thermometers provided, accurate | | |
| K40 Wiping cloths: properly used, stored | | |
| K41 Plumbing approved, installed, in good repair; proper backflow devices | | |
| K42 Garbage & refuse properly disposed; facilities maintained | | |
| K43 Toilet facilities: properly constructed, supplied, cleaned | | |
| K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing | | |
| K45 Floor, walls, ceilings: built, maintained, clean | | X |
| K46 No unapproved private home/living/sleeping quarters | | |
| K47 Signs posted; last inspection report available | | |

OFFICIAL INSPECTION REPORT

| | | |
|---|---|----------------------------------|
| Facility FA0250271 - SELVA | Site Address 44 S ALMADEN AV, SAN JOSE, CA 95112 | Inspection Date 05/22/2026 |
| Program PR0360586 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 1 - FP12 | Owner Name SELVA LLC | Inspection Time 19:30 - 20:15 |
| K48 | Plan review | |
| K49 | Permits available | |
| K58 | Placard properly displayed/posted | |

Comments and Observations

Major Violations

K13 - 8 Points - Food not in good condition/unsafe/adulterated; 113967, 113976, 113980, 113988, 113990, 114035, 114041, 114254(c), 114254.3

Inspector Observations:

Numerous bottles of alcohol spirits were found to be adulterated with dead insect bodies.

[CA] Food is adulterated if it bears or contains any poisonous or deleterious substance that may render it impure or injurious to health and shall be discarded immediately.

[COS] Bottles were drained. Discussed with PIC about verifying that food items are not adulterated and to inspect bottle before each shift.

Minor Violations

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations:

1. The wall behind the undercounter coolers is missing approved finishing.

2. The alcohol storage room is missing a wall finishing/base.

[CA] Repair the wall with a durable, smooth, nonabsorbent, and easily cleanable surface.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

| Item | Location | Measurement | Comments |
|----------------------|-------------------------|-------------------|----------|
| Batch Prepped Drinks | Walk in Cooler | 37.00 Fahrenheit | |
| Bottled Beer | Undercounter Cooler | 40.00 Fahrenheit | IR |
| Water | Handwash Sinks | 100.00 Fahrenheit | |
| Sliced Citrus | Undercounter Cooler | 40.00 Fahrenheit | |
| Water | Three Compartment Sink | 120.00 Fahrenheit | |
| Chlorine - Sanitizer | Undercounter Dishwasher | 50.00 PPM | |

Overall Comments:

Notes:

- This is the first routine inspection after a Change of Ownership.


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/5/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

| | | |
|---|---|----------------------------------|
| Facility FA0250271 - SELVA | Site Address 44 S ALMADEN AV, SAN JOSE, CA 95112 | Inspection Date 05/22/2026 |
| Program PR0360586 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 1 - FP12 | Owner Name SELVA LLC | Inspection Time 19:30 - 20:15 |

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Antoine
General Manager

Signed On: May 22, 2026