

# County of Santa Clara

## Department of Environmental Health

### Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0254116 - HILTON GARDEN INN - GILROY - KITCHEN		<b>Site Address</b> 6070 MONTEREY ST, GILROY, CA 95020		<b>Inspection Date</b> 01/02/2024		<b>Placard Color &amp; Score</b> <div style="background-color: green; color: white; padding: 10px; text-align: center;"> <b>GREEN</b>  <b>89</b> </div>		
<b>Program</b> PR0370411 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			<b>Owner Name</b> TRIMARK-GILROY HOSPITAL		<b>Inspection Time</b> 11:00 - 12:00			
<b>Inspected By</b> GUILLERMO VAZQUEZ		<b>Inspection Type</b> ROUTINE INSPECTION		<b>Consent By</b> IMRAAN ABHADHAN				<b>FSC</b> Not Available

  

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification			X				
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible			X				S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized			X				S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

  

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

Facility FA0254116 - HILTON GARDEN INN - GILROY - KITCHEN		Site Address 6070 MONTEREY ST, GILROY, CA 95020	Inspection Date 01/02/2024
Program PR0370411 - FOOD PREP / FOOD SVC OP. 6-25 EMPLOYEES RC 2 - FP13		Owner Name TRIMARK-GILROY HOSPITALITY, LLC	Inspection Time 11:00 - 12:00
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

## Comments and Observations

### Major Violations

No major violations were observed during this inspection.

### Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

**Inspector Observations: Food manger certification has expired (11/5/23).**

**[CA] Obtain a new food manger certification within 60-days.**

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

**Inspector Observations: Hand wash station next to walk in is missing paper towels at the time of inspection.**

**[CA] Have hand wash station fully stocked at all times.**

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

**Inspector Observations: Dish washer was measured at 0PPM of chlorine at the time of inspection. No active ware-washing at the time of inspection.**

**[CA] Maintain chlorine in mechanical ware-wash machine at 50 PPM. Recommend having unit serviced by contractor.**

**[SA] Facility will be using the 3-compartment sink to wash, rinse, sanitize (Quats).**

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

**Inspector Observations: Condenser within the walk in freezer seems to be leaking and causing piles of ice under it and on the shelves.**

**[CA] Equipment and utensils shall be designed and constructed to be durable and retain characteristic qualities under normal use conditions. Recommend having unit serviced.**

### Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

### Measured Observations

Item	Location	Measurement	Comments
Milk	Grab and go refrigeration	40.00 Fahrenheit	
Ambient	Reach in freezer	5.00 Fahrenheit	
Warm water	Hand wash	100.00 Fahrenheit	
Sanitizer (Chlorine)	Dish washer	0.00 PPM	Adjust to 50PPM. SA.
Batter	Under counter refrigeration	39.00 Fahrenheit	
Warm water	Restroom	100.00 Fahrenheit	
Pooled eggs	Ice bath	41.00 Fahrenheit	
Ambient	Grab and go freezer	5.00 Fahrenheit	
Milk	Reach in	39.00 Fahrenheit	
Sanitizer (Quats)	3-Compartment	200.00 PPM	
Hot water	3-Compartment	120.00 Fahrenheit	
Ambient	Walk in freezer	5.00 Fahrenheit	
Cheese	Grab and go refrigeration	40.00 Fahrenheit	
Shelled eggs	Walk in	38.00 Fahrenheit	
Yogurt	Reach in	39.00 Fahrenheit	
Bacon	Buffet line	139.00 Fahrenheit	
Sausage	Buffet line	137.00 Fahrenheit	

# OFFICIAL INSPECTION REPORT

Facility FA0254116 - HILTON GARDEN INN - GILROY - KITCHEN	Site Address 6070 MONTEREY ST, GILROY, CA 95020	Inspection Date 01/02/2024
Program PR0370411 - FOOD PREP / FOOD SVC OP. 6-25 EMPLOYEES RC 2 - FP13	Owner Name TRIMARK-GILROY HOSPITALITY, LLC	Inspection Time 11:00 - 12:00

## Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/16/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

### Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Imraan Abhadhan  
Manager

Signed On: January 02, 2024