

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0250175 - LA CEIBA MARISCOS		Site Address 1161 S KING RD, SAN JOSE, CA 95122	Inspection Date 08/10/2023
Program PR0360456 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name MARISCOS LA CEIBA INC	Inspection Time 13:45 - 14:35
Inspected By HENRY LUU	Inspection Type FOLLOW-UP INSPECTION	Consent By EFRAIN	

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

Cited On: 08/07/2023

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Compliance of this violation has been verified on: 08/10/2023

Cited On: 08/07/2023

K09 - 8 Points - Improper cooling methods; 114002, 114002.1

Compliance of this violation has been verified on: 08/10/2023

Minor Violations

N/A

Measured Observations

Item	Location	Measurement	Comments
Cooked tripas	Walk-in refrigerator	39.00 Fahrenheit	
Chlorine sanitizer	Three-compartment sink	100.00 PPM	
Hot water	Three-compartment sink	124.00 Fahrenheit	
Imitation crab	Sushi preparation refrigerator	40.00 Fahrenheit	
Warm water	Hand wash stations	104.00 Fahrenheit	
Pico de gallo	Sushi preparation refrigerator	41.00 Fahrenheit	
Raw beef	Walk-in refrigerator	40.00 Fahrenheit	
Tub of beans	Walk-in refrigerator	38.00 Fahrenheit	
Cooked rice	Rice cooker	160.00 Fahrenheit	
Salsa	Walk-in refrigerator	40.00 Fahrenheit	
Rice	Rice warmer - cook line	159.00 Fahrenheit	
Diced tomatoes	Food preparation refrigerator	41.00 Fahrenheit	Cook line
Bags of cooked rice	Walk-in refrigerator	41.00 Fahrenheit	

Overall Comments:

- On-site for follow-up inspection after facility earned a conditional pass during a routine inspection on 8/7/2023.
- Facility was corrected the following:
 - **K06M - Inadequate handwash facilities:**
 - Both hand wash stations in the kitchen observed with warm water, paper towels, and hand soap available.
 - **Reminder:**
 - Maintain paper towels inside dispensers to prevent contamination. Install towel dispenser at hand station at cook line.
 - Maintain hand wash stations clean and unobstructed at all times.
 - **K09M - Improper cooling methods:**
 - Measured all PHF items maintained inside walk-in refrigerator prepared the previous day at 41F or below. See measured observations.
 - Observed cooked rice in tubs actively cooling in ice baths.
 - **K22m - Sewage and wastewater improperly disposed:**
 - Waste drain pipe under the three-compartment sink observed without any leaks.

OFFICIAL INSPECTION REPORT

Facility FA0250175 - LA CEIBA MARISCOS	Site Address 1161 S KING RD, SAN JOSE, CA 95122	Inspection Date 08/10/2023
Program PR0360456 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name MARISCOS LA CEIBA INC	Inspection Time 13:45 - 14:35

- Facility has earned a pass.

- Continue to address other violations noted on previous inspection reports.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/24/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Paola R.
Employee

Signed On: August 10, 2023