

# County of Santa Clara

## Department of Environmental Health

### Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

Facility FA0286163 - CREMA COFFEE ROASTING COMPANY	Site Address 1202 THE ALAMEDA, SAN JOSE, CA 95126	Inspection Date 05/27/2022
Program PR0429079 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name LAM, DZUNG	Inspection Time 13:35 - 14:10
Inspected By MAMAYE KEBEDE	Inspection Type LIMITED INSPECTION	Consent By DZUNG STAUDTE

Placard Color & Score

**RED**  
**N/A**

### Comments and Observations

#### Major Violations

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

**Inspector Observations: Couple of adult and baby dead and live cockroaches were observed by the coffee grinding area and behind the preparation fridge.**

**[CA] Eliminate cockroaches from the facility by a legal method. The facility must be cleaned and properly sanitized as well. Until then the facility shall remain closed. Samantha Kann a Supervising Registered Environmental Health Specialist has approved the closure of the facility.**

#### Minor Violations

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

**Inspector Observations: There is a heavy food residue buildup on the floor sink located below the preparation and the other sinks.**

**[CA] Conduct a thorough cleaning on the floor area and the floor sinks.**

#### Performance-Based Inspection Questions

N/A

#### Measured Observations

N/A

#### Overall Comments:

**Note: This limited inspection is conducted, because a customer complained that a dead cockroach was found on a hot coffee ordered in the facility. During the time of this inspection, couple of live and dead cockroaches were observed in the facility. Eliminate cockroaches from the facility by a legal method.**

**The facility also has a heavy food residue accumulation on the floor sink below the preparation sink. Boxes of some food products were also stored on the floor. The manager is told to conduct regular cleaning on the floor area. She is also advised to store all food products at least six inches off the floor on an approved shelf/dunnage rack.**

**Until all cockroaches are eliminated, and the facility properly cleaned and sanitize, the coffee shop shall remain closed. Please contact the district inspector for reopening.**

## CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/10/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0286163 - CREMA COFFEE ROASTING COMPANY	<b>Site Address</b> 1202 THE ALAMEDA, SAN JOSE, CA 95126	<b>Inspection Date</b> 05/27/2022
<b>Program</b> PR0429079 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	<b>Owner Name</b> LAM, DZUNG	<b>Inspection Time</b> 13:35 - 14:10

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



---

**Received By:** Dzung Staudte  
Manager

**Signed On:** May 27, 2022