

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0257167 - MOSAIC RESTAURANT		Site Address 211 S 1ST ST, SAN JOSE, CA 95113	Inspection Date 04/21/2021
Program PR0375794 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17		Owner Name RED SILK INC	Inspection Time 15:15 - 15:45
Inspected By GINA STIEHR	Inspection Type FOLLOW-UP INSPECTION	Consent By LES YU	

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

N/A

Minor Violations

N/A

Measured Observations

Item	Location	Measurement	Comments
hot water	3 comp sink	120.00 Fahrenheit	
hot water	handwash sink	100.00 Fahrenheit	

Overall Comments:

Follow-up inspection with Peter Estes for violation #22 (sewage/wastewater back up). Checked all floor sinks to make sure they are unclogged and functioning (ran dishwasher and sinks). Facility has corrected violation #22 and may reopen. Discussed trash and cockroach issue between restaurant and hotel (observed several dead cockroaches throughout facility) and referred operator to Code Enforcement.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/5/2021**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By: Les Yu
Emailed report due to COVID19

Signed On: April 22, 2021