

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0230119 - PHO MAI 2	Site Address 814 S BASCOM AV, SAN JOSE, CA 95128	Inspection Date 04/20/2021
Program PR0330138 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name PHO CANH	Inspection Time 12:55 - 13:20
Inspected By THAO HA	Inspection Type LIMITED INSPECTION	Consent By KIM LA

Placard Color & Score

RED
N/A

Comments and Observations

Major Violations

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

Inspector Observations: Floor sink for prep sink drain line observed to be completely backed up and flooding. 3-comp sink observed to have major leaks and draining on to floor. Grease trap observed to be open to mitigates flooding.

[CA] Food facility shall not operate if there is sewage overflowing or backing up in the food facility. The food facility, or impacted areas, shall remain closed until all plumbing problems have been corrected and all contaminated surfaces have been cleaned and sanitized.

Follow-up By
04/23/2021

Minor Violations

No minor violations were observed during this inspection.

Performance-Based Inspection Questions

N/A

Measured Observations

N/A

Overall Comments:

Closure due to wastewater and sewage disposal violation.

NOTE: Signature not obtained due to COVID-19 and social distancing parameters. A copy of this report will be emailed to the operator.

SDPs were checked and discussed with operator at time of inspection:

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/4/2021**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

OFFICIAL INSPECTION REPORT

Facility FA0230119 - PHO MAI 2	Site Address 814 S BASCOM AV, SAN JOSE, CA 95128	Inspection Date 04/20/2021
Program PR0330138 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name PHO CANH	Inspection Time 12:55 - 13:20

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Kim La
No signature due to COVID19

Signed On: April 21, 2021