

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0206348 - MYTH TAVERNA & LOUNGE		Site Address 152 POST ST, SAN JOSE, CA 95113	Inspection Date 11/14/2025
Program PR0307249 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		Owner Name 152 POST LLC	Inspection Time 11:40 - 12:10
Inspected By ALEXANDER ALFARO	Inspection Type FOLLOW-UP INSPECTION	Consent By JOHN	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 11/07/2025

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Compliance of this violation has been verified on: 11/14/2025

Cited On: 11/07/2025

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

Compliance of this violation has been verified on: 11/14/2025

Cited On: 11/07/2025

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 11/14/2025

Cited On: 11/13/2025

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 11/14/2025

Minor Violations

Cited On: 11/13/2025

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Compliance of this violation has been verified on: 11/14/2025

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
Water	Handwash station - outside	100.00 Fahrenheit	

Overall Comments:

This is the second follow up inspection and shall be charged. A check list for reopening was provided and proof of corrections of sanitation.

Observations:

K06: All handwash sinks were operable and fully stocked.

K22: The floor sink was draining properly.

K23: No evidence of vermin was observed.

An invoice will be sent out. Ensure to remit payment within 48 hours of receiving.

Facility okay to reopen.

OFFICIAL INSPECTION REPORT

Facility FA0206348 - MYTH TAVERNA & LOUNGE	Site Address 152 POST ST, SAN JOSE, CA 95113	Inspection Date 11/14/2025
Program PR0307249 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name 152 POST LLC	Inspection Time 11:40 - 12:10

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/28/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: John
Manager

Signed On: November 14, 2025