

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0202634 - JANG SU JANG		Site Address 269 W CALAVERAS BL, MILPITAS, CA 95035	Inspection Date 08/29/2025
Program PR0302567 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		Owner Name JSJ MILPITAS, INC	Inspection Time 12:30 - 13:00
Inspected By NHA HUYNH	Inspection Type FOLLOW-UP INSPECTION	Consent By SUSIE	

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

N/A

Minor Violations

Cited On: 08/21/2025

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Compliance of this violation has been verified on: 08/29/2025

Cited On: 08/21/2025

K22 - 3 Points - Sewage and wastewater improperly disposed; 114197

This violation found not in compliance on 08/29/2025. See details below.

Cited On: 08/29/2025

K22 - 3 Points - Sewage and wastewater improperly disposed; 114197

Inspector Observations:

The floor sink under the dishwasher is still clogged and the overflow goes into the nearby channel drain. Per person in charge, facility received plumbing service on 08/23/2025 and was unclogged.

[Corrective Action] Unclog the floor drain.

Measured Observations

N/A

Overall Comments:

A follow-up inspection was conducted to verify violations from routine inspection conducted on 08/21/2025 is in compliance.

K21: Cold water is now available at the handwash sink at the service area.

K22: Floor sink at the dishwasher is still clogged.

A second follow-up inspection is scheduled for 09/02/2025 and will be charged at the rate approved by the board of supervisors at \$298.00 per hour.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/12/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0202634 - JANG SU JANG	Site Address 269 W CALAVERAS BL, MILPITAS, CA 95035	Inspection Date 08/29/2025
Program PR0302567 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name JSJ MILPITAS, INC	Inspection Time 12:30 - 13:00

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Sag

Received By: Susie
person in charge

Signed On: August 29, 2025