County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0269922 - 02 VALLEY		Site Address 19058 STEVENS CREEK BL, CUPERTINO, CA 95014		Inspection Date 04/23/2021
Program PR0401744 - FOOD PREP / FO	OOD SVC OP 0-5 EMPLOYEES RC 3	3 - FP11	Owner Name 02 VALLEY CORPORATION	Inspection Time 12:45 - 14:00
Inspected By PETER ESTES	Inspection Type FOLLOW-UP INSPECTION	Consent By JASMINE LAI		

Placard Color & Score
GREEN
N/A

Comments and Observations

Major Violations

Cited On: 04/20/2021

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Compliance of this violation has been verified on: 04/23/2021

Cited On: 04/20/2021

K08 - 8 Points - Improperly using time as a public health control procedures & records; 114000

Compliance of this violation has been verified on: 04/23/2021

Cited On: 04/23/2021

K08 - 8 Points - Improperly using time as a public health control procedures & records; 114000

This violation found not in compliance on 04/23/2021. See details below.

Cited On: 04/20/2021

K09 - 8 Points - Improper cooling methods; 114002, 114002.1

Compliance of this violation has been verified on: 04/23/2021

Cited On: 04/20/2021

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105,

114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 04/23/2021

Cited On: 03/24/2021

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Compliance of this violation has been verified on: 03/26/2021

Minor Violations

Cited On: 04/20/2021

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Compliance of this violation has been verified on: 04/23/2021

Measured Observations

<u>Item</u>	<u>Location</u>	Measurement Comments
hot water	3 compartment	120.00 Fahrenheit
drawer unit	under grill	38.00 Fahrenheit
chlorine	3 compartment	100.00 PPM
eggs	walk in	40 00 Fahrenheit

Overall Comments:

This is a follow-up inspection for inspection dated 4/20/2021.

Most of the violations have been corrected.

TPHC written procedures at facility. Ensure all foods using TPHC are on written procedures. Ensure time codes are provided for

OFFICIAL INSPECTION REPORT

Facility FA0269922 - 02 VALLEY	Site Address 19058 STEVENS CRE	EEK BL, CUPERTINO, CA 95014	Inspection Date 04/23/2021
Program	2 FD44	Owner Name	Inspection Time
PR0401744 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3	3 - FP11	02 VALLEY CORPORATION	12:45 - 14:00

all foods using TPHC.

Signature not obtained due to COVID-19 and social distancing parameters. A copy of this report will be emailed to the operator.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than <u>5/7/2021</u>. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

 [CA]
 Corrective Action

 [COS]
 Corrected on Site

 [N]
 Needs Improvement

 [NA]
 Not Applicable

 [NO]
 Not Observed

[PBI] Performance-based Inspection[PHF] Potentially Hazardous Food

[PIC] Person in Charge[PPM] Part per Million[S] Satisfactory[SA] Suitable Alternative

[TPHC] Time as a Public Health Control

Received By: Jasmine Lai

Owner

Signed On: April 23, 2021