

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0206411 - SHAKE SHACK #1531 CAMPBELL		Site Address 1554 S BASCOM AV, SAN JOSE, CA 95125		Inspection Date 07/16/2026		Placard Color & Score GREEN 92		
Program PR0308010 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name SHAKE SHACK CALIFORNIA		Inspection Time 11:40 - 13:20			
Inspected By HELEN DINH		Inspection Type ROUTINE INSPECTION		Consent By RONICA (M) & JUAN (M)				FSC Ronica Alvair 6/27/31

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						S
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available		X		X			N
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0206411 - SHAKE SHACK #1531 CAMPBELL		Site Address 1554 S BASCOM AV, SAN JOSE, CA 95125	Inspection Date 07/16/2026
Program PR0308010 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13		Owner Name SHAKE SHACK CALIFORNIA LLC	Inspection Time 11:40 - 13:20
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Measured water temperature ranging from 94F - 140F at hand wash station located in the following areas: front service, cooks line, near 1-compartment sink, near warewash sink and women's restroom. To activate hand wash station, ONLY one knee peddle is provided. [CA] Provide an adequate pressurized, potable supply of warm water to be held between 100F - 108F. [COS] Operator corrected water temperatures.

Minor Violations

No minor violations were observed during this inspection.

Performance-Based Inspection Questions

Needs Improvement - Hot and cold water available.

Measured Observations

Item	Location	Measurement	Comments
sliced cheese	2 door under drawer	41.00 Fahrenheit	
ambient	3 door reach in	40.00 Fahrenheit	
warm water	handsink (2nd) cooks line knee peddle	124.00 Fahrenheit	COS - final reading at 103F.
warm water	handsink (1st) front knee peddle	94.00 Fahrenheit	COS - final reading at 103F.
warm water	handsink (4th) back near 1-comp knee peddle	140.00 Fahrenheit	COS - final reading at 108
warm water	handsink (3rd) middle knee peddle	108.00 Fahrenheit	
quat	sani buckets	200.00 PPM	
warm water	handsink (RR-women) knee peddle	112.00 Fahrenheit	COS - final reading at 100F
sliced tomato	3 door cold top	38.00 Fahrenheit	
veggie patty	2 door under drawer	41.00 Fahrenheit	
hot water	warewash/1-comp	120.00 Fahrenheit	
patty	2 door under drawer	40.00 Fahrenheit	
chlorine	dish machine	50.00 PPM	
warm water	handsink (5th) near warewash knee peddle	109.00 Fahrenheit	COS - final reading at 107F
chicken	walk-in	40.00 Fahrenheit	
fries	walk-in-freezer	3.80 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/30/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0206411 - SHAKE SHACK #1531 CAMPBELL	Site Address 1554 S BASCOM AV, SAN JOSE, CA 95125	Inspection Date 07/16/2026
Program PR0308010 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name SHAKE SHACK CALIFORNIA LLC	Inspection Time 11:40 - 13:20

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Ronica Alvair
General Manager

Signed On: July 16, 2026