

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0281436 - THE CLEMENT HOTEL - KITCHEN		Site Address 711 EL CAMINO REAL, PALO ALTO, CA 94301		Inspection Date 11/04/2025		Placard Color & Score GREEN 87		
Program PR0422573 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name WELLS AVENUE HOTEL DEV		Inspection Time 10:30 - 12:05			
Inspected By ALELI CRUTCHFIELD		Inspection Type ROUTINE INSPECTION		Consent By MARK				FSC Carlos Naverette 12/21/2027

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						S
K04	Proper eating, tasting, drinking, tobacco use	X						S
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible			X				
K07	Proper hot and cold holding temperatures		X					
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected	X	
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0281436 - THE CLEMENT HOTEL - KITCHEN		Site Address 711 EL CAMINO REAL, PALO ALTO, CA 94301	Inspection Date 11/04/2025
Program PR0422573 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13		Owner Name WELLS AVENUE HOTEL DEVELOPMENT VENTU	Inspection Time 10:30 - 12:05
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: *Measured cooked bacon on hand sink counter at 67F. Measured scallops at 43F in back refrigerator unit. [CA] Maintain potentially hazardous food 41F and below. [COS] Bacon was placed in refrigerator to cool down.*

NOTE: *After bacon is cooked, store in container no more than 2 inches stacked high in refrigerator during breakfast service.*

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: *Observed a bowl inside the hand sink, tomatoes and bacon on counter of the hand sink. [CA] Keep hand sink unobstructed. Store food away from hand sink to prevent contamination.*

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations: *Observed raw eggs above ready to eat food in refrigerator behind cook line. [CA] Store raw eggs below ready to eat food. [COS]*

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
water	3 comp sink	120.00 Fahrenheit	
water	hand sink	100.00 Fahrenheit	
milk	milk unit	39.00 Fahrenheit	
chicken	refrigerator FOH behind stove	40.00 Fahrenheit	
ice cream	grab/go unit	17.00 Fahrenheit	
fruit plate	grab/go unit	37.00 Fahrenheit	
smoked salmon	refrigerator FOH behind stove	40.00 Fahrenheit	
dish plate	high temp dishwasher	160.00 Fahrenheit	
quat ammonium	3 comp sink dispenser	300.00 PPM	
cheese plate	grab/go unit	36.00 Fahrenheit	

Overall Comments:

Per chef, no Super Bowl events (SB60) are planned that is outside the requirements of their current permit at this location for Super Bowl. Flyer provided.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/18/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0281436 - THE CLEMENT HOTEL - KITCHEN	Site Address 711 EL CAMINO REAL, PALO ALTO, CA 94301	Inspection Date 11/04/2025
Program PR0422573 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name WELLS AVENUE HOTEL DEVELOPMENT VENTI	Inspection Time 10:30 - 12:05

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Mark Ayers

Signed On: November 04, 2025