

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0209762 - COLLEGE MARKET		Site Address 502 S 6TH ST, SAN JOSE, CA 95112		Inspection Date 04/15/2024		Placard Color & Score <div style="font-size: 2em; font-weight: bold; text-align: center;">GREEN</div> <div style="font-size: 3em; font-weight: bold; text-align: center;">85</div>		
Program PR0301139 - NO FOOD PREP (GROCERY STORE) < 5,000 SQ FT - FP06			Owner Name SAGGI, TARANJIT & CHARAN		Inspection Time 09:45 - 10:30			
Inspected By PETER ESTES		Inspection Type ROUTINE INSPECTION		Consent By ROMAN SINGH				FSC Exempt

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected	X	
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used	X	
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned	X	
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available	X	

OFFICIAL INSPECTION REPORT

Facility FA0209762 - COLLEGE MARKET	Site Address 502 S 6TH ST, SAN JOSE, CA 95112	Inspection Date 04/15/2024
Program PR0301139 - NO FOOD PREP (GROCERY STORE) < 5,000 SQ FT - FP06	Owner Name SAGGI, TARANJIT & CHARANJIT KA	Inspection Time 09:45 - 10:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water measured at 117F at 3 compartment sink. [CA] Provide hot water measuring 120F at 3 compartment sink.

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations: 1) Drinks stored on and below 3 compartment sink. [CA] Store drinks away from 3 compartment sink and possible contamination.

2) Food stored on top of old newspaper. [CA] Remove newspaper and store food in a sanitary manner.

K29 - 2 Points - Toxic substances improperly identified, stored, used; 114254, 114254.1, 114254.2

Inspector Observations: Spray bottle with clear liquid has no label. [CA] Label all spray bottles.

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Boxes of food stored on floor in aisle. [CA] Store all food at least 6" off floor.

K43 - 2 Points - Toilet facilities: improperly constructed, supplied, cleaned; 114250, 114250.1, 114276

Inspector Observations: Restroom door does not self close. [CA] Repair restroom door so that it self closes.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: 1) Mop stored in mop bucket and mop bucket full of wastewater. [CA] Must hang mop to air dry and dispose of wastewater in janitorial sink.

2) Back door held open. [CA] Keep back door closed at all times.

K47 - 2 Points - Signs not posted; last inspection report not available; 113725.1, 113953.5, 113978, 114381(e)

Inspector Observations: 1) Last inspection report is not available at facility. [CA] A copy of the most recent routine inspection report conducted to assess compliance with this part shall be maintained at the food facility and made available upon request.

2) Current health permit is not posted in public view. [CA] Post current health permit in public view.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
walk in	walk in	39.00 Fahrenheit	
milk	walk in	39.00 Fahrenheit	
hot water	3 compartment	117.00 Fahrenheit	
ice cream	box freezer	-2.00 Fahrenheit	

OFFICIAL INSPECTION REPORT

Facility FA0209762 - COLLEGE MARKET	Site Address 502 S 6TH ST, SAN JOSE, CA 95112	Inspection Date 04/15/2024
Program PR0301139 - NO FOOD PREP (GROCERY STORE) < 5,000 SQ FT - FP06	Owner Name SAGGI, TARANJIT & CHARANJIT KA	Inspection Time 09:45 - 10:30

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/29/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Tarnjit Sagei
Owner

Signed On: April 15, 2024