

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0260382 - CHILI'S GRILL & BAR		Site Address 543 COLEMAN AV, SAN JOSE, CA 95110		Inspection Date 06/17/2026		Placard Color & Score GREEN 91		
Program PR0381621 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17			Owner Name BRINKER RESTAURANT COF		Inspection Time 14:45 - 16:00			
Inspected By LAWRENCE DODSON		Inspection Type ROUTINE INSPECTION		Consent By JOEY				FSC Marcos Bucol 1/03/2029

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures			X				
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals			X				

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0260382 - CHILI'S GRILL & BAR		Site Address 543 COLEMAN AV, SAN JOSE, CA 95110	Inspection Date 06/17/2026
Program PR0381621 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17		Owner Name BRINKER RESTAURANT CORP	Inspection Time 14:45 - 16:00
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Cheese sticks and egg rolls stacked in preparation refrigerator, measured >41F, <4hrs.
[CA] PHFs shall be held at 41°F or below or at 135°F or above.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Water temperature measured a maximum of 106F at food preparation sink.
[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: 1 dead American cockroach found in overhead lights at food preparation area.
[CA] Clean and sanitize area of dead cockroaches or old droppings.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
fried chicken	warmer	131.00 Fahrenheit	
pico de gallo	preparation refrigerator	27.00 Fahrenheit	
beef patty	griddle	190.00 Fahrenheit	
cooked rice	walk in refrigerator	34.00 Fahrenheit	
egg rolls	preparation refrigerator/stacked	49.00 Fahrenheit	
sanitizer concentration	mechanical dishwasher	50.00 PPM	
beef patty	drawer refrigerator	36.00 Fahrenheit	
cheese sticks	preparation refrigerator/stacked	49.00 Fahrenheit	
walk-in refrigerator	storage	33.00 Fahrenheit	
water	food preparation sink	106.00 Fahrenheit	
sanitizer concentration	sanitizer bucket	200.00 PPM	quaternary ammonium
cooked pasta	walk-in refrigerator	40.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/1/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0260382 - CHILI'S GRILL & BAR	Site Address 543 COLEMAN AV, SAN JOSE, CA 95110	Inspection Date 06/17/2026
Program PR0381621 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17	Owner Name BRINKER RESTAURANT CORP	Inspection Time 14:45 - 16:00

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Marcos Bucol
PIC

Signed On: June 17, 2026