

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0207270 - DOMINO'S PIZZA #7995		Site Address 1909 TULLY RD, SAN JOSE, CA 95122		Inspection Date 08/17/2020	
Program PR0302904 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name 5 STAR PIE, INC		Inspection Time 15:45 - 16:15
Inspected By MAMAYE KEBEDE		Inspection Type FOLLOW-UP INSPECTION		Consent By GURPREET SINGH	

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

Cited On: 07/23/2020

K13 - 8 Points - Food not in good condition/unsafe/adulterated; 113967, 113976, 113980, 113988, 113990, 114035, 114041, 114254(c), 114254.3

Compliance of this violation has been verified on: 07/24/2020

Cited On: 07/23/2020

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 07/24/2020

Cited On: 08/17/2020

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

This violation found not in compliance on 08/17/2020. See details below.

Minor Violations

Cited On: 07/23/2020

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

This violation found not in compliance on 08/17/2020. See details below.

Cited On: 07/23/2020

K48 - 2 Points - Plan review unapproved; 114380

This violation found not in compliance on 08/17/2020. See details below.

Measured Observations

Item	Location	Measurement	Comments
Sausage	Preparation fridge	40.00 Fahrenheit	
Hot water	Wash sink	129.00 Fahrenheit	
Cheese	Preparation fridge	39.00 Fahrenheit	

Overall Comments:

This is a follow-up inspection to the routine inspection that was conducted this morning. During the earlier inspection, it was found out that the store's water heater tank was not working. Therefore, the facility was closed. This time, the water is replaced with like for like, and a 129 OF warm water was measured on the janitorial, wash, and preparation sinks.

Therefore, the facility is open for service. The updated Social Distancing Protocol is also posted on the entrance. The other minor violations cited during this morning's inspection must also be corrected by the end of the night.


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/31/2020**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0207270 - DOMINO'S PIZZA #7995	Site Address 1909 TULLY RD, SAN JOSE, CA 95122	Inspection Date 08/17/2020
Program PR0302904 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name 5 STAR PIE, INC	Inspection Time 15:45 - 16:15

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Gurpreet Singh
Person in Charge

Signed On: August 19, 2020