County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org

K47 Signs posted; last inspection report available



OFFICIAL INSPECTION REPORT

Facility FA0284216 - SAJJ	A0284216 - SAJJ 145 S FRANCES ST, SUNNYVALE, CA 9408				11/16/2023 ▮ ▮			acard Color & Score			
Program Owner Name PR0426307 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11 FALAFEL, INC					Inspection Time 14:00 - 15:00			GR	REEN		
Inspected By Inspection Type Consent By FSC Marcos				14.00 - 15.00 S Sanchez			Ç	90 I			
JASLEEN PURI	ROUTINE INSPECTION	ISREAL OLVE	RA	2/21/25				L			
RISK FACTORS AND I	NTERVENTIONS				IN	OUT Major		S/SA	N/O	N/A	PBI
K01 Demonstration of know	ledge; food safety certification				Χ						
K02 Communicable disease	; reporting/restriction/exclusion				Х						S
K03 No discharge from eyes	s, nose, mouth				Х						
K04 Proper eating, tasting, of	<u> </u>				Χ						
	washed; gloves used properly				Х						S
K06 Adequate handwash fa	cilities supplied, accessible					X		Х			S
K07 Proper hot and cold hol	• .				Х						
	control; procedures & records									Х	
K09 Proper cooling methods									Χ		
K10 Proper cooking time & t	<u> </u>					\perp			Χ		
K11 Proper reheating proce	•								Х		
K12 Returned and reservice					X						
K13 Food in good condition,					Х						
K14 Food contact surfaces	*				Х						
K15 Food obtained from app					Х						
-	stock tags, condition, display									Х	
K17 Compliance with Gulf C	-									X	
K18 Compliance with varian										Х	
K19 Consumer advisory for										X	
	cilities/schools: prohibited foods	not being offered								X	
K21 Hot and cold water avai					X						
K22 Sewage and wastewate	<u> </u>				X						
No rodents, insects, bir	ds, or animals				Х						
GOOD RETAIL PRACT	ICES									OUT	cos
K24 Person in charge prese											
K25 Proper personal cleanli											
Approved thawing methods used; frozen food											
	Food separated and protected										
K28 Fruits and vegetables w											
K29 Toxic substances prope											
K30 Food storage: food stor											
K31 Consumer self service of											
K32 Food properly labeled a											
K33 Nonfood contact surface								_			
	talled/maintained; test strips	- canacity									
K35 Equipment, utensils: Approved, in good repair, adequate capacity K36 Equipment, utensils, linens: Proper storage and use					Х						
K37 Vending machines											
K38 Adequate ventilation/lighting; designated areas, use											
K39 Thermometers provided, accurate											
K40 Wiping cloths: properly used, stored											
K41 Plumbing approved, installed, in good repair; proper backflow devices											
K42 Garbage & refuse properly disposed; facilities maintained											
K43 Toilet facilities: properly constructed, supplied, cleaned											
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing											
K45 Floor, walls, ceilings: bu		ζ , γ	19								
-	home/living/sleeping quarters										
	ection report available										

Page 1 of 3 R202 DAV90NL4T Ver. 2.39.7

OFFICIAL INSPECTION REPORT

Facility FA0284216 - SAJJ	Site Address 145 S FRANCES ST, SUNNYVALE, CA 94086	Inspection Date 11/16/2023		
Program PR0426307 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3	Owner Name 3 - FP11 FALAFEL, INC	Inspection Time 14:00 - 15:00		
K48 Plan review				
K49 Permits available				
K58 Placard properly displayed/posted				

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Observed empty paper towel dispenser in restroom. [CA] Provide paper towels in dispenser in restroom. [COS] PIC refilled paper towels.

Minor Violations

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185, 114185.3, 114185.4, 114185.5

Inspector Observations: Observed two unrestricted CO2 tanks under table in kitchen. [CA] All pressurized cylinders shall be securely fastened to a rigid structure.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

<u>Item</u>	<u>Location</u>	Measurement	Comments
chicken shawarma	hot holding	149.00 Fahrenheit	
spicy tahini	cold holding prep	41.00 Fahrenheit	
diced tomatoes	walk-in-cooler	41.00 Fahrenheit	
hot water	3-comp-sink/prep sink	120.00 Fahrenheit	
steak	hot holding	148.00 Fahrenheit	
spicy tahini	reach in cooler	41.00 Fahrenheit	
hot water	handsinks - front, back, restroom	100.00 Fahrenheit	
tzatziki	cold holding prep	40.00 Fahrenheit	
quat	3-comp-sink	200.00 PPM	
chicken shawarma	walk-in-cooler	40.00 Fahrenheit	
tomato cucumber salad	cold holding prep	40.00 Fahrenheit	
chicken pomegranate	hot holding	145.00 Fahrenheit	
soup	hot holding	140.00 Fahrenheit	
yogurt	walk-in-cooler	39.00 Fahrenheit	
fries	reach in freezer	8.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility	Site Address	Inspection Date
FA0284216 - SAJJ	145 S FRANCES ST, SUNNYVALE, CA 94086	11/16/2023
Program	Owner Name	Inspection Time
PR0426307 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3	- FP11 FALAFEL, INC	14:00 - 15:00

Legend:

 [CA]
 Corrective Action

 [COS]
 Corrected on Site

 [N]
 Needs Improvement

 [NA]
 Not Applicable

 [NO]
 Not Observed

[PBI] Performance-based Inspection[PHF] Potentially Hazardous Food

[PIC]Person in Charge[PPM]Part per Million[S]Satisfactory[SA]Suitable Alternative

[TPHC] Time as a Public Health Control

X

Received By: Isreal Olvera

Manager

Signed On: November 16, 2023

Page 3 of 3 R202 DAV90NL4T Ver. 2.39.7