

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0211887 - SAFEWAY DELI #763		Site Address 2605 THE ALAMEDA, SANTA CLARA, CA 95050		Inspection Date 11/13/2025		Placard Color & Score GREEN 98		
Program PR0304550 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name SAFEWAY INC		Inspection Time 10:45 - 11:30			
Inspected By KATHY VO		Inspection Type ROUTINE INSPECTION		Consent By MARCO				FSC Bradley Westhauser 03/24/2027

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		X
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0211887 - SAFEWAY DELI #763	Site Address 2605 THE ALAMEDA, SANTA CLARA, CA 95050	Inspection Date 11/13/2025
Program PR0304550 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name SAFEWAY INC	Inspection Time 10:45 - 11:30
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations: Observed walk-in cooler is missing thermometer for internal temperature. [CA] A thermometer +/- 2°F shall be provided and correctly located in each hot and cold holding unit containing potentially hazardous foods.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
ambient	walk-in cooler	47.00 Fahrenheit	In defrost cycle.
ambient	3-door upright freezer	22.00 Fahrenheit	
tuna salad	deli display case	41.00 Fahrenheit	
water	handwash sink	100.00 Fahrenheit	
water	3-compartment sink	120.00 Fahrenheit	
sandwiches	walk-in cooler	41.00 Fahrenheit	
cooked chicken	walk-in cooler	41.00 Fahrenheit	
imitation crab	deli display case	41.00 Fahrenheit	
raw chicken	deli display case	41.00 Fahrenheit	
chicken wings	deli display case	146.00 Fahrenheit	
water	preparation sink	120.00 Fahrenheit	
mac and cheese	deli display case	140.00 Fahrenheit	
sanitizer (quaternary ammonia)	3-compartment sink	400.00 PPM	

Overall Comments:

Observed TurboChef oven is stored on preparation counter without coverage by a ventilation hood. Per PIC, TurboChef is not currently in use due to equipment malfunction, but will be used in the future. Provide approved exhausted hood ventilation over all cooking equipment as required to effectively remove cooking odors, smoke, steam, grease, heat, and vapors. Facility must submit plans or apply for hood exemption to Plan Check Department to use the TurboChef.

*** For general inquiries or to schedule a consultation, site assessment, or plan check inspection, please contact Plan Check at dehplanchek@deh.sccgov.org or call at 408-918-3400 (Monday through Friday, 7:30AM-4:30PM). More information can be found on DEH website: ehinfo.org.**


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/27/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0211887 - SAFEWAY DELI #763	Site Address 2605 THE ALAMEDA, SANTA CLARA, CA 95050	Inspection Date 11/13/2025
Program PR0304550 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name SAFEWAY INC	Inspection Time 10:45 - 11:30

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Gregory Waynik
Store Director

Signed On: November 13, 2025