

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0254229 - STARBUCKS COFFEE #5857		Site Address 4848 SAN FELIPE RD 110, SAN JOSE, CA 95135		Inspection Date 06/03/2024		Placard Color & Score <div style="background-color: green; color: white; padding: 10px; text-align: center;"> GREEN 92 </div>		
Program PR0370718 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09			Owner Name STARBUCKS CORPORATION		Inspection Time 12:10 - 13:00			
Inspected By MAMAYE KEBEDE		Inspection Type ROUTINE INSPECTION		Consent By EMILY PATERNITI				FSC Marelly Magana 12/14/2026

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used	X	
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use	X	
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available	X	

OFFICIAL INSPECTION REPORT

Facility FA0254229 - STARBUCKS COFFEE #5857	Site Address 4848 SAN FELIPE RD 110, SAN JOSE, CA 95135	Inspection Date 06/03/2024
Program PR0370718 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name STARBUCKS CORPORATION	Inspection Time 12:10 - 13:00
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K29 - 2 Points - Toxic substances improperly identified, stored, used; 114254, 114254.1, 114254.2

Inspector Observations: The quaternary ammonia sanitizer concentration on the three compartment warewash sink was measured above 400 ppm.

[CA] Maintain the quaternary ammonia sanitizer concentration between 150 ppm and 400 ppm and the chlorine concentration at 100 ppm, or as recommended by the manufacturer.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: There was no approved high temperature measuring strip to measure the maximum temperature on the mechanical dishwasher.

[CA] Provide approved high temperature measuring strips or a maximum registering dishwasher thermometer for the high temperature mechanical dishwasher.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: Boxes of single use and other utensils were stored on the floor back in the storage area.

[CA] For easy floor cleaning and to prevent insect/rodent infestation and hiding, store all utensils/equipment at least six inches off the floor on approved shelf/dunnage rack at all the time.

K47 - 2 Points - Signs not posted; last inspection report not available; 113725.1, 113953.5, 113978, 114381(e)

Inspector Observations: Current Environmental Health permit was not posted on public view.

[CA] The most current Environmental Health permit must be posted on public view at all the time.

Copy of the most recent inspection report was not found on file.

[CA] Copy of the most recent inspection report must be kept on file and should be given to anyone for review upon request.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Hot water	Mechanical dishwasher	160.00 Fahrenheit	
Sandwich	Display case	39.00 Fahrenheit	
Quaternary Ammonia	Three compartment sink	400.00 PPM	
Milk	Upright fridge	38.00 Fahrenheit	
Milk	Undercounter fridge	34.00 Fahrenheit	
Hot water	Three compartment sink	120.00 Fahrenheit	

Overall Comments:

Note: Food safety manager certificate: Marelly Magana - 12/14/2026

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/17/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0254229 - STARBUCKS COFFEE #5857	Site Address 4848 SAN FELIPE RD 110, SAN JOSE, CA 95135	Inspection Date 06/03/2024
Program PR0370718 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name STARBUCKS CORPORATION	Inspection Time 12:10 - 13:00

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Emily Paterniti

Shift Leader

Signed On: June 03, 2024