

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0281635 - DEL MAR HIGH SCHOOL CONCESSION BUILDING		Site Address 1224 DEL MAR AV, SAN JOSE, CA 95128	Inspection Date 09/23/2022
Program PR0415933 - SCHOOL FOOD SERVICE RISK CAT 1 - FP21		Owner Name CAMPBELL UNION HIGH SCH	Inspection Time 12:30 - 13:00
Inspected By GUILLERMO VAZQUEZ	Inspection Type FOLLOW-UP INSPECTION	Consent By CHARLIE	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 09/21/2022

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Compliance of this violation has been verified on: 09/23/2022

Minor Violations

N/A

Measured Observations

Item	Location	Measurement	Comments
Warm water	Hand wash	100.00 Fahrenheit	
Hot water	Prep sink	120.00 Fahrenheit	
Hot water	3-Compartment	120.00 Fahrenheit	

Overall Comments:

This is a follow up inspection to verify that all major violations mentioned on 9/21/22 inspection report have been addressed. All major violations mentioned on report have been found within compliance:

- K21: Hot and cold water available. Hot water has been restored to facility. See measured observations.

Continue on working on all other violations mentioned on 9/21/22 inspection report.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/7/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: Charlie
 Maintenance Staff
Signed On: September 23, 2022