

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0281635 - DEL MAR HIGH SCHOOL-GYM CONCESSIONS	Site Address 1224 DEL MAR AV, SAN JOSE, CA 95128	Inspection Date 04/08/2026
Program PR0300286 - SCHOOL FOOD SERVICE RISK CAT 1 - FP21	Owner Name CAMPBELL UNION HIGH SCH	Inspection Time 12:00 - 12:30
Inspected By HELEN DINH	Inspection Type RISK FACTOR ASSESSMENT/STRUC	Consent By MARIO (M)
FSC Exempt		

Placard Color & Score

N/A
N/A

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Measured water holding at 72F at hand wash sink. Per operator, this location is rarely used. [CA] Provide an adequate, pressurized, potable supply of warm water to be held between 100F - 108F.

Education

K02S - Communicable disease; reporting/restriction/exclusion

K03S - No discharge observed from eyes, nose, and/or mouth

K04S - Proper eating, tasting, drinking, tobacco use

K05S - Hands clean/properly washed/gloves used properly

K06S - Adequate handwash facilities: supplied or accessible

K12S - Returned and reservice of food

Measured Observations

Item	Location	Measurement	Comments
water	handsink (prep)	72.00 Fahrenheit	
ambient	1 door reach in	41.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/22/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By: Mario Gudiel
Custodian Supervisor

Signed On: April 08, 2026