

# County of Santa Clara

## Department of Environmental Health

### Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0260354 - ANGKORIAN EXPRESS	<b>Site Address</b> 2200 EASTRIDGE LP 1105, SAN JOSE, CA 95122	<b>Inspection Date</b> 04/04/2024
<b>Program</b> PR0381583 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	<b>Owner Name</b> HIN, VIMOL	<b>Inspection Time</b> 13:00 - 13:30
<b>Inspected By</b> HENRY LUU	<b>Inspection Type</b> FOLLOW-UP INSPECTION	<b>Consent By</b> LONG C.

<b>Placard Color &amp; Score</b> <b>GREEN</b> <b>N/A</b>
--

### Comments and Observations

#### Major Violations

Cited On: 03/13/2024

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

**Compliance of this violation has been verified on: 04/04/2024**

Cited On: 03/18/2024

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

**Compliance of this violation has been verified on: 04/04/2024**

#### Minor Violations

Cited On: 04/04/2024

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

**Inspector Observations: Old rodent droppings observed on floor below the upright refrigeration units and crevices between refrigeration units and wall.**

**[CA] Clean and sanitize area of old droppings.**

**- Eliminate gap greater than 1/4" to prevent the entrance and harborage of vermin.**

#### Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
Hot water	Three-compartment sink	120.00 Fahrenheit	

#### Overall Comments:

**- On-site for operator scheduled chargeable follow-up inspection after facility was closed during a follow-up inspection on 3/18/2024 due to evidence of a rodent infestation.**

**- Facility has corrected K23M - Observed rodents, insects, birds, or animals:**

**- Facility has cleaned and removed rodent droppings.**

**- Minor droppings still observed in areas. See violation above.**

**- Facility is hereby authorize to reopen and resume operations.**

**- Facility shall be billed at \$290 per hour, minimum one hour for follow-up inspection.**

### FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/18/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0260354 - ANGKORIAN EXPRESS	<b>Site Address</b> 2200 EASTRIDGE LP 1105, SAN JOSE, CA 95122	<b>Inspection Date</b> 04/04/2024
<b>Program</b> PR0381583 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	<b>Owner Name</b> HIN, VIMOL	<b>Inspection Time</b> 13:00 - 13:30

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

---

**Received By:** Long C.  
Employee

**Signed On:** April 04, 2024

**Comment:** Employee refused to sign.