

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

- No Signature



1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org

OFFICIAL INSPECTION REPORT

Facility FA0260576 - HOT POT FIRST		Site Address 1149 W LAWRENCE EX, SUNNYVALE, CA 94089		Inspection Date 08/14/2020	
Program PR0381948 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name SANER USA, INC.		Inspection Time 13:15 - 13:45
Inspected By DAVID LEE		Inspection Type FOLLOW-UP INSPECTION		Consent By N/A	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 08/13/2020

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

This violation found not in compliance on 08/14/2020. See details below.

Minor Violations

N/A

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
hot water	prep sink	125.00 Fahrenheit	

Overall Comments:

major violation from 8/13/2020 corrected. ok to re-open

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/28/2020**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control