

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0289355 - BASKET BAGELS & BAKERY		Site Address 2686 UNION AV, SAN JOSE, CA 95124		Inspection Date 12/23/2025	
Program PR0433792 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name BASKET BAGELS & BAKERY		Inspection Time 10:15 - 11:45
Inspected By HELEN DINH	Inspection Type ROUTINE INSPECTION	Consent By SINDY		FSC Not Available	

Placard Color & Score
GREEN
79

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification			X				
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use					X		
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible			X				
K07 Proper hot and cold holding temperatures		X		X			N
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals			X				

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected	X	
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices	X	
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0289355 - BASKET BAGELS & BAKERY	Site Address 2686 UNION AV, SAN JOSE, CA 95124	Inspection Date 12/23/2025
Program PR0433792 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name BASKET BAGELS & BAKERY LLC	Inspection Time 10:15 - 11:45
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Measured the following PHFs holding between 78F - 98F in display case for less than 4 hours: pesto bagels, cheese bagel, jalepeno and cheese bagel and spinach pastries. [CA] Maintain all cold PHFs held at or below 41F or hot held at or above 135F. [SA] Operator opted to use time as a public health control (TPHC).

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: 1. Lacking food safety certificate (FSC). [CA] Food facilities that prepare, handle, or serve non-prepackaged potentially hazard foods shall have a valid Food Safety Certificate available for review at all times.

2. Lacking food handlers card on site. [CA] Each food handler shall maintain a valid food handler card for the duration of his or her employment as food handler. A valid food handler card shall be provided within 30 days of after the date of hire.

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Lacking single use paper towel at hand wash station at front service line. Note: Another hand wash station located on other side of wall, stocked with soap and paper [CA] Single-use sanitary towels shall be provided in dispensers; heated-air hand drying device may be substituted for single-use towels.

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: Found a couple flies at front service line and back prep area. [CA] Each food facility shall be free of pest such as flies. Provide approved pest control services.

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations: 1. Found shell eggs stored above ready to eat foods in 2 door upright. [CA] All food shall be separated and protected from cross-contamination. Store all raw meat or other raw products of animal origin below ready-to-eat food items.

2. Found single use boxes of pork sausage patty being reused to store bagels in 1 door upright freezer. [CA] Discontinue using single uses boxes, use approved containers for storage of food items.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: 1. Found a leak at goose neck faucet at warewash sink when water is on.

2. Found a leak at cold water knob when water is turned on.

[CA] Secure leak.

Performance-Based Inspection Questions

Needs Improvement - Proper hot and cold holding temperatures.

