

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0286067 - SBUX 49749 N FIRST & RIVER OAKS		Site Address 55 RIVER OAKS PL 40, SAN JOSE, CA 95134		Inspection Date 11/18/2025		Placard Color & Score GREEN 96		
Program PR0428909 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 1 - FP12			Owner Name STARBUCKS COFFEE COMP		Inspection Time 09:45 - 10:45			
Inspected By MAVERICK CHIN		Inspection Type ROUTINE INSPECTION		Consent By EMMA				FSC Amanda Staab 04/03/2028

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						S
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						S

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices	X	
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0286067 - SBUX 49749 N FIRST & RIVER OAKS		Site Address 55 RIVER OAKS PL 40, SAN JOSE, CA 95134	Inspection Date 11/18/2025
Program PR0428909 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 1 - FP12		Owner Name STARBUCKS COFFEE COMPANY	Inspection Time 09:45 - 10:45
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations:

Facility lacks a method for testing the final sanitizing rinse temperature of the high temperature mechanical dishwasher.

[CA] Testing equipment and materials shall be provided to adequately measure the applicable sanitization method used during manual or mechanical warewashing.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations:

Handwash sink in the back kitchen observed to be slow draining.

[CA] Repair plumbing fixture and maintain in good repair.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
milk	under-counter cooler - left	39.00 Fahrenheit	
quaternary ammonium	wiping cloth bucket	300.00 PPM	
hot water	three compartment sink	120.00 Fahrenheit	
warm water	handwash sink - back kitchen	100.00 Fahrenheit	
ham and cheese croissant	under-counter cooler - far right	41.00 Fahrenheit	
oat milk	under-counter cooler - customer side - right	40.00 Fahrenheit	
milk	two-door upright cooler	41.00 Fahrenheit	
warm water	handwash sink - front service	100.00 Fahrenheit	
milk	under-counter cooler - far left	39.00 Fahrenheit	
lemon pound cake	two-door upright freezer	18.00 Fahrenheit	
egg and bacon sandwich	under counter cooler - right	40.00 Fahrenheit	
hot water	dump sink	120.00 Fahrenheit	
high temperature sanitizing rinse	mechanical dishwasher	162.00 Fahrenheit	
quaternary ammonium	three compartment sink	300.00 PPM	
milk	under-counter cooler - customer side - right	40.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/2/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0286067 - SBUX 49749 N FIRST & RIVER OAKS	Site Address 55 RIVER OAKS PL 40, SAN JOSE, CA 95134	Inspection Date 11/18/2025
Program PR0428909 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 1 - FP12	Owner Name STARBUCKS COFFEE COMPANY	Inspection Time 09:45 - 10:45

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Emma
Assistant Manager

Signed On: November 18, 2025