

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0304078 - LITTLE BLUE DOOR LOS ALTOS		Site Address 170 STATE ST, LOS ALTOS, CA 94022	Inspection Date 07/28/2026
Program PR0446834 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		Owner Name LITTLE BLUE DOOR LLC	Inspection Time 12:35 - 13:10
Inspected By TRAVIS KETCHU	Inspection Type LIMITED INSPECTION	Consent By JEFF JAISON	

Placard Color & Score

RED
N/A

Comments and Observations

Major Violations

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: The facility does not have an independent warewashing sink and warewashing is accomplished at a held in common warewashing sink/ warewashing machine. The held in common area is closed due to cockroach activity (PR0441426).

[CA] Facility shall not operate without adequate warewashing facilities.

Manual warewashing shall be accomplished by using a three-compartment sink where the utensils are first precleaned, washed with hot soapy water, rinsed with hot water, sanitized with an approved method, and air dried. Use 1 TBS of bleach (5.25%) per 1 gal. of water for chlorine solution (100 PPM). Use 1 tbs of quaternary ammonium (10%) per 2 gal. of water for quaternary ammonium (200 PPM).

Contact this department for a follow-up inspection once the held in common area has been reopened.

Follow-up By
07/29/2026

Minor Violations

No minor violations were observed during this inspection.

Performance-Based Inspection Questions

N/A

Measured Observations

N/A

Overall Comments:

Facility is closed due to the following major violation:

Inadequate warewashing facilities (held in common warewashing area has been closed due to vermin)

Prior to reopening, these violations must be corrected and written approval must be received from this department.

To request a follow-up inspection to verify correction, call Travis Ketchu at (408) 918-3469, Monday-Thursday 7:30 AM-5:00 PM, call (408) 918-3400 on Fridays (office is closed on County holidays).

The first follow-up inspection is free of charge. Subsequent follow up inspections after first follow up shall be billed \$298/hr during business hours and \$645/ hr during non business hours upon availability.

Failure to comply may result in enforcement action.

OFFICIAL INSPECTION REPORT

Facility FA0304078 - LITTLE BLUE DOOR LOS ALTOS	Site Address 170 STATE ST, LOS ALTOS, CA 94022	Inspection Date 07/28/2026
Program PR0446834 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name LITTLE BLUE DOOR LLC	Inspection Time 12:35 - 13:10

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/11/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: jeff jaison
PIC

Signed On: July 28, 2026