

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0275806 - CHUTNEYS CA INC		Site Address 954 E EL CAMINO REAL, SUNNYVALE, CA 94087		Inspection Date 03/28/2023	
Program PR0416883 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name CHUTNEYS CA INC		Inspection Time 12:45 - 14:45
Inspected By SUKHREET KAUR	Inspection Type ROUTINE INSPECTION	Consent By KRISHAN	FSC Vishnu Vardhan Manjunath 7/8/2025		

Placard Color & Score
RED
80

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification			X				
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures			X				
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available		X					N
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips	X	
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices	X	
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0275806 - CHUTNEYS CA INC	Site Address 954 E EL CAMINO REAL, SUNNYVALE, CA 94087	Inspection Date 03/28/2023
Program PR0416883 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name CHUTNEYS CA INC	Inspection Time 12:45 - 14:45
K48 Plan review		
K49 Permits available		X
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Measured hot water at 75F at three compartment sink.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

Follow-up By
03/29/2023

Measured water at hand wash sink at 75F.

[CA] Handwashing facilities shall be equipped to provide minimum 100°F water under pressure for a minimum of 15 seconds.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: Lack of food handler cards for employees.

[CA] Each food handler shall maintain a valid food handler card for the duration of his or her employment as food handler. A valid food handler card shall be provided within 30 days of after the date of hire. Email certificates to sukhreet.kaur@deh.sccgov.org

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Measured sambar at 130F in a pot at turned off burner.

[CA] PHFs shall be held at 135°F or above.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Lack of test strips for quaternary ammonium in the facility.

[CA] Testing equipment and materials shall be provided to adequately measure the applicable sanitization method used during manual or mechanical warewashing.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Observed waste line from ice machine extending in to the floor sink and waste pipe from walk in cooler extending in to the floor sink.

[CA] All equipment that discharges liquid waste shall be drained by means of indirect waste pipes, and all wastes drained by them shall discharge through an airgap into a floor sink or other approved type of receptor.

K49 - 2 Points - Permits not available; 114067(b,c), 114381(a), 114387

Inspector Observations: Facility is operating without a valid permit.

--48 HOUR NOTICE--

Our records indicate this facility has a delinquent account and is operating without a valid permit.

Total account balance due is \$1533.75.

Payment must be made within 48 hours (2 business days) to DEH at the address at the top of this report or via our website at www.Ehinfo.org

Previous written notification of account balance was provided in a Delinquent Permit Letter.

The right to an administrative hearing was waived for failure to respond to the Delinquent Permit Letter. A re-inspection will not be conducted if your account is paid in full by the Comply By date 3/30/23. The facility shall remain open and a new valid permit will be mailed after payment has been received. If your account has not been paid in full by the Comply By date, a re-inspection will be performed and the facility owner may be billed at the current hourly rate per County Ordinance Code B11-8. Non-payment of permit fees within 48 hours will result in additional legal actions up to and including facility closure.

Performance-Based Inspection Questions

Needs Improvement - Hot and cold water available.

OFFICIAL INSPECTION REPORT

Facility FA0275806 - CHUTNEYS CA INC	Site Address 954 E EL CAMINO REAL, SUNNYVALE, CA 94087	Inspection Date 03/28/2023
Program PR0416883 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name CHUTNEYS CA INC	Inspection Time 12:45 - 14:45

Measured Observations

Item	Location	Measurement	Comments
Water	Hand wash sink	75.00 Fahrenheit	
Masala vada	Walk in cooler	41.00 Fahrenheit	
Idlie	Walk in cooler	41.00 Fahrenheit	
Hot water	Three compartment sink	75.00 Fahrenheit	
Pakorasa	Hot holding	41.00 Fahrenheit	
Sambar	Hot holding	145.00 Fahrenheit	
Potato dish	Hot holding	150.00 Fahrenheit	

Overall Comments:

Facility is closed due to lack of hot water.

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/11/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Vishnu M

Signed On: March 28, 2023