County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org

K47 Signs posted; last inspection report available



OFFICIAL INSPECTION REPORT

OFFICIAL INSPECTION REPORT										
Facility Site Address 10270 STEVENS OFFICE OFFICE OF A SECURITY OF THE SECURIT				Inspection Date			Placard (Placard Color & Score		
FA0282787 - ALEXANDER'S STEAKHOUSE - PATISSERIE 19379 STEVENS CREEK BL, CUPERTINO, CA 9501 Program Owner Name			95012	4 04/29/2022			GR	REEN		
Program PR0424157 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09 ALEXANDER'S STEAK			HOUSI	ISI						
nspected By Inspection Type Consent By FSC Eric Upper					Ш	1	00			
OBBY SHEHADEH	ROUTINE INSPECTION	RADIM VLCEK	02/13/20	24						
RISK FACTORS AND II	NTERVENTIONS			IN	Ol Major	JT Minor	COS/SA	N/O	N/A	PBI
K01 Demonstration of knowl	ledge; food safety certification			Χ						S
K02 Communicable disease	K02 Communicable disease; reporting/restriction/exclusion			Х						S
No discharge from eyes, nose, mouth			Χ						S	
K04 Proper eating, tasting, drinking, tobacco use X			Χ						S	
	K05 Hands clean, properly washed; gloves used properly									S
K06 Adequate handwash facilities supplied, accessible			Х						S	
K07 Proper hot and cold hold				Х						S
<u> </u>	control; procedures & records								Х	
Proper cooling methods									Х	
K10 Proper cooking time & to	<u> </u>								Х	
K11 Proper reheating proced									Х	
K12 Returned and reservice				X						
K13 Food in good condition,	•			X						
K14 Food contact surfaces of				X						S
K15 Food obtained from app				Х						
K16 Compliance with shell s									X	
K17 Compliance with Gulf O									X	
K18 Compliance with variance									X	
K19 Consumer advisory for I		nat baing affarad							X	
	cilities/schools: prohibited foods i	not being oπered		V					Х	
K21 Hot and cold water avai				X						
_	Sewage and wastewater properly disposed X									
	No rodents, insects, birds, or animals X									
	GOOD RETAIL PRACTICES						OUT	cos		
	Person in charge present and performing duties									
Proper personal cleanliness and hair restraints										
Approved thawing methods used; frozen food										
K27 Food separated and pro										
K28 Fruits and vegetables w										
K29 Toxic substances proper	· · ·									
K30 Food storage: food stora	<u> </u>									
K31 Consumer self service of										
K32 Food properly labeled and honestly presented										
K33 Nonfood contact surfaces clean K34 Warewash facilities: installed/maintained; test strips										
K35 Equipment, utensils: Approved, in good repair, adequate capacity										
K36 Equipment, utensils, linens: Proper storage and use										
K37 Vending machines										
K38 Adequate ventilation/lighting; designated areas, use										
K39 Thermometers provided, accurate										
Wiping cloths: properly used, stored										
K41 Plumbing approved, installed, in good repair; proper backflow devices										
K42 Garbage & refuse properly disposed; facilities maintained										
	Toilet facilities: properly constructed, supplied, cleaned									
	d repair; Personal/chemical stora	age; Adequate vermin-p	roofing							
	K45 Floor, walls, ceilings: built,maintained, clean									
No unapproved private home/living/sleeping quarters										
The analysis of the state of th										

R202 DAVUETW2X Ver. 2.39.7

OFFICIAL INSPECTION REPORT

Facility FA0282787 - ALEXANDER'S STEAKHOUSE - PATISSERIE	Site Address 19379 STEVENS CREEK BL, CUPERTINO, CA 95014	Inspection Date 04/29/2022		
Program PR0424157 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1		Inspection Time 09:45 - 10:45		
K48 Plan review				
K49 Permits available				
K58 Placard properly displayed/posted				

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

No minor violations were observed during this inspection.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

<u>Item</u>	<u>Location</u>	Measurement	Comments
cake	2-door upright refrigerator	41.00 Fahrenheit	
quat sanitizer	sanitizer bucket	200.00 PPM	
warm water	handwash sink	100.00 Fahrenheit	
cake	display unit	39.00 Fahrenheit	
milk	single-door undercounter	38.00 Fahrenheit	
	refrigerator		

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 5/13/2022. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA] Corrective Action
[COS] Corrected on Site
[N] Needs Improvement
[NA] Not Applicable
[NO] Not Observed

[PBI] Performance-based Inspection[PHF] Potentially Hazardous Food

 [PIC]
 Person in Charge

 [PPM]
 Part per Million

 [S]
 Satisfactory

 [SA]
 Suitable Alternative

[TPHC] Time as a Public Health Control

Received By: Radim Vlcek

General Manager

Signed On: April 29, 2022