

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0263404 - THE OLD WAGON SALOON & GRILL		Site Address 73 N SAN PEDRO ST, SAN JOSE, CA 95110	Inspection Date 06/04/2026
Program PR0387975 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		Owner Name OWS RESTAURANT LLC	Inspection Time 15:50 - 16:45
Inspected By ALEXANDER ALFARO	Inspection Type FOLLOW-UP INSPECTION	Consent By SONNY	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 06/03/2026

K13 - 8 Points - Food not in good condition/unsafe/adulterated; 113967, 113976, 113980, 113988, 113990, 114035, 114041, 114254(c), 114254.3

Compliance of this violation has been verified on: 06/04/2026

Cited On: 06/03/2026

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 06/04/2026

Cited On: 06/03/2026

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 06/04/2026

Minor Violations

Cited On: 06/03/2026

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Compliance of this violation has been verified on: 06/04/2026

Measured Observations

Item	Location	Measurement	Comments
Chlorine - Sanitizer	Both Dishwashers	50.00 PPM	
Water	Prep Sink	120.00 Fahrenheit	
Water	Prep Sink	70.00 Fahrenheit	

Overall Comments:

This is the first follow up inspection. A completed and signed vermin checklist for reopening was provided prior to this inspection. A pest control report was also provided.

Observations:

- No evidence of vermin observed.
- Cold water was restored to the handwash sink and the prep sink.
- Dishwashers were serviced and measured at 50 ppm each.
- Hole behind the ice machine was sealed.
- No adulterated foods were observed.
- Per Sonny, the outdoor bar is used for seating only. They use it for private events to serve prepackaged items.

Facility is okay to operate.

OFFICIAL INSPECTION REPORT


Facility FA0263404 - THE OLD WAGON SALOON & GRILL	Site Address 73 N SAN PEDRO ST, SAN JOSE, CA 95110	Inspection Date 06/04/2026
Program PR0387975 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name OWS RESTAURANT LLC	Inspection Time 15:50 - 16:45

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/18/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Sonny Walters
Owner

Signed On: June 04, 2026