

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0274872 - SPREADZ		Site Address 2348 WALSH AV G, SANTA CLARA, CA 95051	Inspection Date 01/15/2026
Program PR0415470 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name A&M GLOBAL ENTERPRISE	Inspection Time 13:00 - 14:00
Inspected By THAO HA	Inspection Type FOLLOW-UP INSPECTION	Consent By ASHOOR ELIASNIA	

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

Cited On: 01/14/2026

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

This violation found not in compliance on 01/15/2026. See details below.

Cited On: 01/15/2026

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Prep cooler measured to have:

- Turkey at 45F
- Cut tomatoes at 44F
- Sliced cheese at 44F
- Ham at 41F
- Tuna at 41F
- Chicken at 41F

All PHFs out of temperature measured to be on left side of prep cooler.

[CA]
 Keep PHF at 41F and below.

[COS]
 PHFs were moved into walk in cooler. Per manager, ice bath will be used until cooler is completely repaired.

Cited On: 01/14/2026

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Compliance of this violation has been verified on: 01/15/2026

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

The follow up due to major violation of hot water and temperature.

Upon:

-Hot water measured to be 120F in 3-comp sink.

-Prep cooler measured to have:

- Turkey at 45F
- Cut tomatoes at 44F
- Sliced cheese at 44F
- Ham at 41F
- Tuna at 41F
- Chicken at 41F

All PHFs out of temperature measured to be on left side of prep cooler.

PHFs were moved into walk in cooler. Per manager, ice bath will be used until cooler is completely repaired.

OFFICIAL INSPECTION REPORT

Facility FA0274872 - SPREADZ	Site Address 2348 WALSH AV G, SANTA CLARA, CA 95051	Inspection Date 01/15/2026
Program PR0415470 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name A&M GLOBAL ENTERPRISE	Inspection Time 13:00 - 14:00

Major violations have been corrected or downgraded to minor violation. Continue to work on violations.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/29/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Ashoor Eliasnia
PIC
Signed On: January 15, 2026