County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0213896 - SUBWAY #5834		Site Address 415 N MARY AV 105, SUNNYVALE, CA 94086		Inspection Date 12/22/2023
Program PR0304726 - FOOD PREP / FO	OOD SVC OP 0-5 EMPLOYEES RC 2	? - FP10	Owner Name HEALTHY FOOD CORPORAT	Inspection Time 09:00 - 09:20
Inspected By JASLEEN PURI	Inspection Type FOLLOW-UP INSPECTION	Consent By GLORIA DIAZ		

Placard Color & Score

GREEN

N/A

Comments and Observations

Major Violations

N/A

Minor Violations

N/A

Measured Observations

<u>ltem</u>	<u>Location</u>	Measurement	Comments
hot water	handsinks - front, back, and	100.00 Fahrenheit	
	restroom		
hot water	3-comp-sink/prep sink/mop sink	120.00 Fahrenheit	

Overall Comments:

Reinspection

Violation #21M from inspection report dated 12/20/23 is now in compliance. Facility ok to reopen.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 1/15/2024. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA] Corrective Action
 [COS] Corrected on Site
 [N] Needs Improvement
 [NA] Not Applicable
 [NO] Not Observed

[PBI] Performance-based Inspection[PHF] Potentially Hazardous Food

[PIC] Person in Charge[PPM] Part per Million[S] Satisfactory[SA] Suitable Alternative

[TPHC] Time as a Public Health Control

Received By: Gloria Diaz
Manager

Signed On: December 22, 2023