

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0257304 - CHIPOTLE MEXICAN GRILL #2137		Site Address 6955 CAMINO ARROYO 70, GILROY, CA 95020		Inspection Date 03/18/2025		Placard Color & Score <div style="background-color: green; color: white; padding: 10px; text-align: center;"> GREEN 92 </div>		
Program PR0376170 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name CHIPOTLE MEXICAN GRILL,		Inspection Time 14:20 - 15:30			
Inspected By GUILLERMO VAZQUEZ		Inspection Type ROUTINE INSPECTION		Consent By JOSE ZAMUDIO				FSC Jose Zamudio 6/15/28

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						S
K11	Proper reheating procedures for hot holding	X						S
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean	X	
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored	X	X
K41	Plumbing approved, installed, in good repair; proper backflow devices	X	
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned	X	
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0257304 - CHIPOTLE MEXICAN GRILL #2137		Site Address 6955 CAMINO ARROYO 70, GILROY, CA 95020	Inspection Date 03/18/2025
Program PR0376170 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13		Owner Name CHIPOTLE MEXICAN GRILL, INC	Inspection Time 14:20 - 15:30
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations: Mold like substance is growing within the caulking around the 3-compartment sink.
[CA] Nonfood-contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris.

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

Inspector Observations: Wiping cloths in the prep area were measured at 100PPM of quats at the time of inspection.
[CA] Wiping towels shall be stored in sanitizing solution of an approved concentration when not in use (100 ppm - chlorine, 200 ppm - quaternary ammonium).
[COS] Sanitizer buckets were all changed out; re-measured at 200PPM.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Leaking faucet at the mop sink noted at the time of inspection. Per PIC, issue has been report and are waiting for contractor.
[CA] Repair plumbing fixture and maintain in clean and good repair.

K43 - 2 Points - Toilet facilities: improperly constructed, supplied, cleaned; 114250, 114250.1, 114276

Inspector Observations: One of the restroom doors has a damaged door handle at the time of inspection.
[CA] Toilet facilities shall be maintained clean and in good repair.
[SA] Facility has an additional restroom that could be used.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Warm water	Hand wash/restroom	100.00 Fahrenheit	
Beans	Steam table station #1	159.00 Fahrenheit	
Sanitizer (Quats)	Sanitizer bucket	100.00 PPM	Adjust to 200PPM. COS
Cheese	Prep table station #2	39.00 Fahrenheit	
Rice	Steam table station #2	159.00 Fahrenheit	
Cooked chicken	Steam table station #2	158.00 Fahrenheit	
Hot water	3-Compartment/prep/mop sinks	120.00 Fahrenheit	
Corn	Prep table station #2	40.00 Fahrenheit	
Cooked steak	Steam table station #1	162.00 Fahrenheit	
Cheese	Walk in	38.00 Fahrenheit	
Sanitizer (Quats)	3-Compartment	200.00 PPM	
Beans	Rethermalizer	191.00 Fahrenheit	Re-heating.
Sanitizer (Chlorine)	Dish washer	100.00 PPM	
Cooked chicken	Cook line	182.00 Fahrenheit	Final cook temperature.
Cheese	Prep table station #1	39.00 Fahrenheit	
Rice	Under counter warmer	146.00 Fahrenheit	
Pico de gallo	Walk in	38.00 Fahrenheit	
Salsa (tomato base)	Prep table station #1	39.00 Fahrenheit	
Beans	Under counter warmer #2	155.00 Fahrenheit	

OFFICIAL INSPECTION REPORT

Facility FA0257304 - CHIPOTLE MEXICAN GRILL #2137	Site Address 6955 CAMINO ARROYO 70, GILROY, CA 95020	Inspection Date 03/18/2025
Program PR0376170 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name CHIPOTLE MEXICAN GRILL, INC	Inspection Time 14:20 - 15:30

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/1/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Jose Zamudio
Manager

Signed On: March 18, 2025