

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0255383 - O'FLAHERTY'S		Site Address 25 N SAN PEDRO ST, SAN JOSE, CA 95110	Inspection Date 09/17/2024
Program PR0372911 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09		Owner Name BORKENHAGEN, STEVE & K	Inspection Time 16:00 - 16:25
Inspected By ALEXANDER ALFARO	Inspection Type FOLLOW-UP INSPECTION	Consent By NICK	

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

Cited On: 09/16/2024

K13 - 8 Points - Food not in good condition/unsafe/adulterated; 113967, 113976, 113980, 113988, 113990, 114035, 114041, 114254(c), 114254.3

Compliance of this violation has been verified on: 09/17/2024

Cited On: 09/16/2024

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 09/17/2024

Cited On: 09/16/2024

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 09/17/2024

Minor Violations

N/A

Measured Observations

Item	Location	Measurement	Comments
Chlorine	Ware Wash Machine	50.00 PPM	
Quarternary Ammonia	Three Compartment Sink	200.00 PPM	

Overall Comments:

This is a follow up inspection for the routine inspection conducted on 9/16/2024.

Observations:

K13: No adulteration of food or food contact surfaces were observed.

K14: The ware washing machine was measured at 50 ppm of Chlorine. The three compartment sink was measured at 200 ppm of quarternary ammonia.

K23: There was no rodents, dead or alive, and no evidence of vermin in the downstairs area of the facility.

Continue to correct all pending violations noted on the routine inspection report.


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/1/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0255383 - O'FLAHERTY'S	Site Address 25 N SAN PEDRO ST, SAN JOSE, CA 95110	Inspection Date 09/17/2024
Program PR0372911 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name BORKENHAGEN, STEVE & KATHLEEN	Inspection Time 16:00 - 16:25

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Nick Pizarro
General Manager

Signed On: September 17, 2024