

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0300789 - SAFEWAY #2776 - ARH DELI		Site Address 1455 BERRYESSA RD, SAN JOSE, CA 95133		Inspection Date 12/03/2024	
Program PR0441483 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name SAFEWAY, INC		Inspection Time 10:45 - 11:40
Inspected By MINDY NGUYEN	Inspection Type ROUTINE INSPECTION	Consent By SAM	FSC SAM H AVILES 9/29/25		

Placard Color & Score
GREEN
90

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use					X		
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible	X						S
K07 Proper hot and cold holding temperatures		X		X			
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding	X						
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						S
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0300789 - SAFEWAY #2776 - ARH DELI	Site Address 1455 BERRYESSA RD, SAN JOSE, CA 95133	Inspection Date 12/03/2024
Program PR0441483 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name SAFEWAY, INC	Inspection Time 10:45 - 11:40
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Inside the display hot holding unit: measured internal temperature of chicken wings and boneless chicken wings to be 120 - 131F. Employee stated foods had been held for 1 hour.

[CA] Keep potentially hazardous foods at 135F and above or 41F and below.

[COS] Food was immediately reheated.

Discussed and provided TPHC form.

Minor Violations

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: The hot holding display unit was not able to keep potentially hazardous foods at 135F and above (see violation K07 above).[

[CA] Repair unit so that it can keep food at 135F and above.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
MEATS, CHEESE, EGG SALAD	DISPLAY REFRIGERATOR	41.00 Fahrenheit	
WARM WATER	HANDWASH SINK	100.00 Fahrenheit	
HOT WATER	3-COMPARTMENT SINK	120.00 Fahrenheit	
CHICKEN WINGS, BONELESS CHICKEN WINGS	HOT HOLDING DISPLAY UNIT	120.00 Fahrenheit	120 - 131F
QUATERNARY AMMONIA	3-COMPARTMENT SINK	200.00 PPM	
MACARONI AND CHEESE, FRIED CHICKEN, EGG ROLLS	HOT HOLDING DISPLAY UNIT	140.00 Fahrenheit	
FINAL RINSE TEMPERATURE	HIGH-TEMPERATURE DISHWASHER	160.00 Fahrenheit	THERMAL STICKER
DELI MEATS	WALK-IN REFRIGERATOR	38.00 Fahrenheit	

Overall Comments:

Safeway Deli routine inspection. Note: the high-temperature dishwasher took a long time to prime and provide the required final rinse temperature. Ensure final rinse temperature of minimum 160F is verified before every use. Recommend servicing the dishwasher.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/17/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0300789 - SAFEWAY #2776 - ARH DELI	Site Address 1455 BERRYESSA RD, SAN JOSE, CA 95133	Inspection Date 12/03/2024
Program PR0441483 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name SAFEWAY, INC	Inspection Time 10:45 - 11:40

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: SAM HAVILES
Store Director

Signed On: December 03, 2024