

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0207648 - MENDOZA'S RESTAURANT		Site Address 2122 MCKEE RD, SAN JOSE, CA 95116		Inspection Date 03/16/2026		Placard Color & Score GREEN 87		
Program PR0303375 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name GALLEGOS-CARDENAS, MIG		Inspection Time 12:45 - 14:00			
Inspected By LAWRENCE DODSON		Inspection Type ROUTINE INSPECTION		Consent By FATIMA GALLEGOS				FSC Viridiana Mendoza 3/17/2030

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures			X				
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected	X	
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36	Equipment, utensils, linens: Proper storage and use	X	
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		X
K40	Wiping cloths: properly used, stored		X
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0207648 - MENDOZA'S RESTAURANT		Site Address 2122 MCKEE RD, SAN JOSE, CA 95116	Inspection Date 03/16/2026
Program PR0303375 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		Owner Name GALLEGOS-CARDENAS, MIGUEL A	Inspection Time 12:45 - 14:00
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Various PHF held in preparation refrigerator measured >41F,<135F,<4hrs.

[CA] PHFs shall be held at 41°F or below or at 135°F or above. [SA] PHF moved to walk-in refrigerator and preparation refrigerator #2 for rapid cooling.

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations: Boxed produce found stored at janitorial sink basin.

[CA] All food shall be separated and protected from possible contamination.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Ambient temperature of preparation refrigerator #1 measured at 44F.

[CA] Refrigeration must be capable of maintaining PHFs at 41°F or below.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: Bowls used as scoops in bulk food containers. [CA] Use scoops with handles and store scoop handle in such a way that the handle does not come in direct contact with food to prevent contamination.

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations: Lack of thermometers in preparation refrigerators.

[CA] A thermometer +/- 2°F shall be provided and correctly located in each hot and cold holding unit containing potentially hazardous foods.

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

Inspector Observations: Several wet/used wiping cloths found stored on preparation tables.

[CA] Wiping towels shall be stored in sanitizing solution of an approved concentration when not in use (100 ppm - chlorine, 200 ppm - quaternary ammonium).

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
walk-in refrigerator	storage	36.00 Fahrenheit	
water	hand wash sink	100.00 Fahrenheit	
cooked beans	steam table	150.00 Fahrenheit	
cooked rice	steam table	148.00 Fahrenheit	
cooked cactus	preparation refrigerator	44.00 Fahrenheit	
cooked beef	preparation refrigerator	44.00 Fahrenheit	
shredded beef	steam table	155.00 Fahrenheit	
water	3 compartment sink	120.00 Fahrenheit	
sanitizer concentration	mechanical dishwasher	50.00 PPM	

OFFICIAL INSPECTION REPORT

Facility FA0207648 - MENDOZA'S RESTAURANT	Site Address 2122 MCKEE RD, SAN JOSE, CA 95116	Inspection Date 03/16/2026
Program PR0303375 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name GALLEGOS-CARDENAS, MIGUEL A	Inspection Time 12:45 - 14:00

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/30/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: fatima gallegos
PIC

Signed On: March 16, 2026