

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0255516 - YGF MALATANG		Site Address 540 BARBER LN, MILPITAS, CA 95035	Inspection Date 07/02/2025
Program PR0373163 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name YGF CALI LLC	Inspection Time 11:05 - 12:00
Inspected By MINDY NGUYEN	Inspection Type FOLLOW-UP INSPECTION	Consent By YIN	

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

Cited On: 06/26/2025

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

This violation found not in compliance on 07/02/2025. See details below.

Cited On: 06/26/2025

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 07/02/2025

Cited On: 06/26/2025

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 07/02/2025

Minor Violations

Cited On: 07/02/2025

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: At the rear kitchen handsink: observed stacks of clean bowls placed on a table in front of the handsink.

[CA] Store clean equipment away from handsinks to prevent contamination.

Cited On: 07/02/2025

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Observed the handsink in the front service area was draining slowly.

[CA] Repair handsink and maintain in good condition.

Measured Observations

N/A

Overall Comments:

This was a follow-up to the 6/26/25 routine inspection. The major violations were observed to be in compliance as follows:

- Observed the front handsink's paper towel dispenser was stocked
- Observed the condiment containers in the rear kitchen were moved away from the handsink
- No equipment sanitization violations were observed. Continue training employees to wash, rinse, and sanitize

Observed minor violations related to handsinks (slow draining and storage of clean bowls in front of rear handsink).

Due to the lack of major violations, the yellow placard was replaced with a green placard. OK to operate. Report will be emailed to operator.

OFFICIAL INSPECTION REPORT

Facility FA0255516 - YGF MALATANG	Site Address 540 BARBER LN, MILPITAS, CA 95035	Inspection Date 07/02/2025
Program PR0373163 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name YGF CALI LLC	Inspection Time 11:05 - 12:00

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 7/16/2025. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Daniel Tan
Kitchen Manager

Signed On: July 02, 2025