

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0308258 - SJ DOWNTOWN FOOD HALL		Site Address 82 E SANTA CLARA ST 104, SAN JOSE, CA 95113	Inspection Date 01/31/2025
Program PR0451972 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name AMV INC	Inspection Time 12:50 - 13:35
Inspected By ALEXANDER ALFARO	Inspection Type FOLLOW-UP INSPECTION	Consent By ASHDEEP SINGH	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 01/29/2025

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Compliance of this violation has been verified on: 01/31/2025

Cited On: 01/29/2025

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Compliance of this violation has been verified on: 01/31/2025

Cited On: 01/29/2025

K13 - 8 Points - Food not in good condition/unsafe/adulterated; 113967, 113976, 113980, 113988, 113990, 114035, 114041, 114254(c), 114254.3

Compliance of this violation has been verified on: 01/31/2025

Cited On: 01/29/2025

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 01/31/2025

Minor Violations

Cited On: 01/29/2025

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

This violation found not in compliance on 01/31/2025. See details below.

Cited On: 01/29/2025

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

This violation found not in compliance on 01/31/2025. See details below.

Measured Observations

Item	Location	Measurement	Comments
Chlorine - Sanitizer	Three Compartment Sink	100.00 PPM	
Water	Hand Sink	100.00 Fahrenheit	
Rice	Rice Cooker	150.00 Fahrenheit	
Paneer	Undercounter Cooler	41.00 Fahrenheit	

Overall Comments:

This is a follow up inspection to determine compliance with major violations noted during the routine inspection.

Observations:

K06: The hand wash station was stocked with soap and paper towels. The hand wash station was unobstructed.

K07: All PHFs were at 41F or below or 135F or above.

OFFICIAL INSPECTION REPORT

Facility FA0308258 - SJ DOWNTOWN FOOD HALL	Site Address 82 E SANTA CLARA ST 104, SAN JOSE, CA 95113	Inspection Date 01/31/2025
Program PR0451972 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name AMV INC	Inspection Time 12:50 - 13:35

K13: No adulterated/spoiled food was observed.

K14: Facility set up the three compartment sink to wash, rinse, and sanitize. Ample supply of sanitizer was observed.

K45: Facility has been cleaned at some parts of the space. Continue to clean the floor near the cookline equipment and maintain the facility clean.

Facility has provided a full menu. A menu review shall be conducted to determine if a change of menu has occurred. Further evaluation will be required.

Continue to correct all pending violations.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **2/14/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Ashdeep Singh
Cook

Signed On: January 31, 2025