

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0208448 - QUIMBY LIQUOR		Site Address 2860 QUIMBY RD 140, SAN JOSE, CA 95148		Inspection Date 12/27/2024		Placard Color & Score GREEN 92		
Program PR0302335 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name MANDEEP SINGH		Inspection Time 11:15 - 12:15			
Inspected By MAMAYE KEBEDE		Inspection Type ROUTINE INSPECTION		Consent By MANDEEP SINGH				FSC

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food						X	
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized						X	
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		X
K34	Warewash facilities: installed/maintained; test strips		X
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		X
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0208448 - QUIMBY LIQUOR	Site Address 2860 QUIMBY RD 140, SAN JOSE, CA 95148	Inspection Date 12/27/2024
Program PR0302335 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name MANDEEP SINGH	Inspection Time 11:15 - 12:15
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations: There is an abundant dust accumulation on the restroom's exhaust vent screen.

[CA] Conduct a regular cleaning on the screens.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: The two compartment warewash sink was used to store expired drinks. It also has a stain buildup.

[CA] Keep the sinks including the two compartment warewash sink easily accessible for employees to use them. The sink must be regularly cleaned and sanitize as well.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: The cover of the ice machine has fallen off.

[CA] Please replace the missing ice machine's cover immediately.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: The ice scoop for the ice machine was stored on unclean surface.

[CA] All reusable utensils including the ice scoop must be stored on clean surface/container in between use.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Hot water	Restroom handwash station	120.00 Fahrenheit	
Ice cream	Ice cream cooler	0.00 Fahrenheit	IR
Milk	Reach-in cooler	39.00 Fahrenheit	IR
Cheese	Reach-in cooler	39.00 Fahrenheit	IR

Overall Comments:

Note: 1. The facility sells prepackage food products and packages ice.

2. The store does not have a designated janitorial sink. During a major remodeling or change of ownership, a janitorial sink must be installed. Until a janitorial sink is installed, please dispose the gray water in the restroom.


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/10/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0208448 - QUIMBY LIQUOR	Site Address 2860 QUIMBY RD 140, SAN JOSE, CA 95148	Inspection Date 12/27/2024
Program PR0302335 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name MANDEEP SINGH	Inspection Time 11:15 - 12:15

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Mandeep Singh
Owner
Signed On: December 27, 2024