

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0299821 - BREW CITY BURGERS		Site Address 1425 1ST ST 101, GILROY, CA 95020		Inspection Date 03/04/2025		Placard Color & Score GREEN 92		
Program PR0439918 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name JCH RESTAURANT CORP		Inspection Time 15:40 - 16:40			
Inspected By GUILLERMO VAZQUEZ		Inspection Type ROUTINE INSPECTION		Consent By ANTHONY FREITAS				FSC Anthony Freitas 2/14/29

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible			X				S
K07	Proper hot and cold holding temperatures			X				
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						S
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0299821 - BREW CITY BURGERS	Site Address 1425 1ST ST 101, GILROY, CA 95020	Inspection Date 03/04/2025
Program PR0439918 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name JCH RESTAURANT CORP	Inspection Time 15:40 - 16:40
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Hand wash station next to cook line has a damaged soap dispenser at the time of inspection. Per PIC, the soap dispenser got damaged recently and are trying to install a new one

[CA] Provide hand washing cleanser in dispenser at hand wash stations at all times.

[SA] Facility has an additional hand wash station within the prep area that is being used to wash hands.

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: PHFs within reach in were measured at 45°F at the time of inspection.

[CA] PHFs shall be held at 41°F or below or at 135°F or above. Recommend having the unit serviced by a contractor.

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Bag of onions noted on the floor of the prep area at the time of inspection.

[CA] Food shall be stored at least 6 inches above the floor to prevent contamination.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Warm water	Hand wash/restroom	100.00 Fahrenheit	
Cut tomato	Prep table #2	39.00 Fahrenheit	
Milk	Reach in	45.00 Fahrenheit	Adjust to 41°F.
Pre-cooked chicken	Prep table	40.00 Fahrenheit	
Ranch	Under counter refrigeration (bar area)	40.00 Fahrenheit	
Cooked burger	Cook line	187.00 Fahrenheit	Final cook temperature.
Ambient	Under counter freezer	5.00 Fahrenheit	
Raw steak	Walk in	39.00 Fahrenheit	
Hot water	3-Compartment/prep/mop sinks	120.00 Fahrenheit	
Sanitizer (Chlorine)	Dish washer	50.00 PPM	
Cheese	Prep table	40.00 Fahrenheit	
Cooked chicken	Walk in	48.00 Fahrenheit	Cooling for about 3-hours.
Sanitizer (Quats)	Sanitizer bucket	200.00 PPM	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/18/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0299821 - BREW CITY BURGERS	Site Address 1425 1ST ST 101, GILROY, CA 95020	Inspection Date 03/04/2025
Program PR0439918 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name JCH RESTAURANT CORP	Inspection Time 15:40 - 16:40

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Anthony Freitas
Manager

Signed On: March 04, 2025