

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0284027 - THE BREAKFAST CLUB @ MIDTOWN		Site Address 1432 W SAN CARLOS ST 80, SAN JOSE, CA 95126		Inspection Date 07/23/2024	
Program PR0425997 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name A+G INVESTMENTS		Inspection Time 13:00 - 14:30
Inspected By LAWRENCE DODSON	Inspection Type ROUTINE INSPECTION	Consent By ROMAN RAMOS	FSC Roman Ramos 5/09/2026		

Placard Color & Score
GREEN
84

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures		X					
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods	X						
K10 Proper cooking time & temperatures	X						
K11 Proper reheating procedures for hot holding	X						
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food	X	
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified	X	
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean	X	
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0284027 - THE BREAKFAST CLUB @ MIDTOWN	Site Address 1432 W SAN CARLOS ST 80, SAN JOSE, CA 95126	Inspection Date 07/23/2024
Program PR0425997 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name A+G INVESTMENTS	Inspection Time 13:00 - 14:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Various PHF in preparation refrigerator #1, #2 and #3 measured >41F,<135F,>4hrs. [CA] PHFs shall be held at 41°F or below or at 135°F or above. [SA] PHF held in non-working refrigerators were voluntarily condemned and destroyed due to >41F,<135F,>4hrs.

Minor Violations

K26 - 2 Points - Unapproved thawing methods used; frozen food; 114018, 114020, 114020.1

Inspector Observations: Frozen seafood found thawing at ambient room temperature (food preparation sink). [CA] Frozen potentially hazardous food shall only be thawed in one of the following ways: 1) under refrigeration that maintains the food temperature at 41°F or below, 2) completely submerged under potable running water for a period not to exceed two hours at a water temperature of 70°F or below, and with sufficient water velocity to agitate and flush off loose particles into the sink drain, 3) in a microwave oven if immediately followed by immediate preparation, 4) as part of a cooking process.

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Boxed food stored directly on the floor of the walk-in freezer. [CA] Food shall be stored at least 6 inches above the floor to prevent contamination.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Ambient temperature of 3 refrigerators at the cook line measured >41F,<135F[CA] Refrigeration must be capable of maintaining PHFs at 41°F or below. Do not use these refrigerators until they are repaired or replaced.

Follow-up By
07/30/2024

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Ceiling panels missing in kitchen. [CA] Repair holes in structure and maintain in good repair to prevent pest harborage.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
raw eggs	preparation refrigerator	70.00 Fahrenheit	
water	food preparation sink	120.00 Fahrenheit	
sliced tomatoes	preparation refrigerator 2	65.00 Fahrenheit	
preparation refrigerator 3	kitchen	51.00 Fahrenheit	
preparation refrigerator 1	kitchen	60.00 Fahrenheit	
walk-in refrigerator	storage	40.00 Fahrenheit	
batter	preparation refrigerator 2	70.00 Fahrenheit	
raw chicken	drawer refrigerator	38.00 Fahrenheit	
water	hand wash sink	100.00 Fahrenheit	
battered chicken	preparation refrigerator 1	67.00 Fahrenheit	
preparation refrigerator 2	kitchen	55.00 Fahrenheit	
sausage	drawer refrigerator	39.00 Fahrenheit	
under counter refrigerator	bar	60.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0284027 - THE BREAKFAST CLUB @ MIDTOWN	Site Address 1432 W SAN CARLOS ST 80, SAN JOSE, CA 95126	Inspection Date 07/23/2024
Program PR0425997 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name A+G INVESTMENTS	Inspection Time 13:00 - 14:30

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/6/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Claudia Rayas
PIC

Signed On: July 23, 2024