

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0211977 - MCDONALD'S SANTA CLARA/BOWERS		Site Address 2850 AUGUSTINE DR, SANTA CLARA, CA 95054		Inspection Date 01/14/2025		Placard Color & Score GREEN 95		
Program PR0302416 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 2 - FP16			Owner Name TRIPPLETT, LARRY		Inspection Time 13:30 - 14:30			
Inspected By NHA HUYNH		Inspection Type ROUTINE INSPECTION		Consent By YOLANDA				FSC Yolanda Hernandez 07/09/2025

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification			X				
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						S
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records	X						
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		S
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		X
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0211977 - MCDONALD'S SANTA CLARA/BOWERS		Site Address 2850 AUGUSTINE DR, SANTA CLARA, CA 95054	Inspection Date 01/14/2025
Program PR0302416 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 2 - FP16		Owner Name TRIPPLETT, LARRY	Inspection Time 13:30 - 14:30
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations:

Observed a couple expired Food Handler's Cards.

[Corrective Action] Maintain Food Handler's Card current and valid.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations:

Observed pooling of liquid on the floor under the beverage dispensing machine at the drive-thru window. Observed the drainage pipe not properly draining into the floor sink.

[Corrective Action] Ensure drainage pipe from the beverage dispensing machine properly drains into the floor sink.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
spicy chicken patties	hot holding unit - #2	174.00 Fahrenheit	
milk	single door undercounter cooler	38.00 Fahrenheit	
creamers	creamers dispenser	36.00 Fahrenheit	
yogurt	single door undercounter cooler -left	36.00 Fahrenheit	McCafe
soft serve mix	soft serve machine	38.00 Fahrenheit	
chlorine sanitizer	sanitizing bucket	100.00 PPM	
quarter pounder patty	2 drawer cooler	40.00 Fahrenheit	
cheese	2 door undercounter cooler	40.00 Fahrenheit	
milk	single door undercounter cooler - right	38.00 Fahrenheit	McCafe
quaternary ammonium sanitizer	3 compartment sink	200.00 PPM	
beef patties	hot holding unit - #1	159.00 Fahrenheit	
hot water	3 compartment sink	125.00 Fahrenheit	

Overall Comments:

A routine inspection was conducted in conjunction with a complaint investigation.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/28/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0211977 - MCDONALD'S SANTA CLARA/BOWERS	Site Address 2850 AUGUSTINE DR, SANTA CLARA, CA 95054	Inspection Date 01/14/2025
Program PR0302416 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 2 - FP16	Owner Name TRIPPLETT, LARRY	Inspection Time 13:30 - 14:30

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Yolanda Hernandez
Manager

Signed On: January 14, 2025