

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0205554 - TOWER'S CAFE		Site Address 111 N MARKET ST 120, SAN JOSE, CA 95113		Inspection Date 12/04/2025		Placard Color & Score GREEN 86		
Program PR0304155 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name QD CAFE, INC		Inspection Time 11:25 - 12:25			
Inspected By ALEXANDER ALFARO		Inspection Type ROUTINE INSPECTION		Consent By QUANG				FSC Quang Phuong Do 03/13/2026

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures		X		X			
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented	X	
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0205554 - TOWER'S CAFE	Site Address 111 N MARKET ST 120, SAN JOSE, CA 95113	Inspection Date 12/04/2025
Program PR0304155 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name QD CAFE, INC	Inspection Time 11:25 - 12:25
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations:

1. At the sandwich prep cold hold, on a plate stored above the inserts, diced chicken was measured at 61°F. Per PIC, they were extras from an order made approximately 30 minutes prior.

2. Eggs were found measuring at 60F on top of the cold hold inserts at around 11:30 am. Per PIC, they cooked them at 8:00 am.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] The chicken was moved to the cooler for rapid cool down.

[COS] PIC agreed to discard the eggs after 4 hours of removal from temperature control.

Minor Violations

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations:

A white crystalline powder was unlabeled both in the kitchen and self service condiment area.

[CA] Working containers holding food or food ingredients that are removed from their original packages shall be identified with the common name of the food if not easily recognizable.

K32 - 2 Points - Food improperly labeled & not honestly presented: 114087, 114089, 114089.1(a, b), 114090, 114093.1

Inspector Observations:

Second Repeat Violation: Facility prepackages food (fruit salads, and yogurts parfaits) and offers for sale in self-service area without proper labeling.

[CA] Food prepackaged in a food facility shall bear a label with the following:

- 1) common name of the food,**
- 2) list of ingredients in descending order of predominance by weight,**
- 3) quantity of contents,**
- 4) name and place of business of the manufacturer, packer, or distributor.**

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

Repeat Violation: Facility has a non ANSI white freezer and microwave.

[CA] New and/or replacement food equipment shall be certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program (e.g. NSF, UL EPH, UL Sanitation, CSA Sanitation, or ETL Sanitation).

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

OFFICIAL INSPECTION REPORT

Facility FA0205554 - TOWER'S CAFE	Site Address 111 N MARKET ST 120, SAN JOSE, CA 95113	Inspection Date 12/04/2025
Program PR0304155 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name QD CAFE, INC	Inspection Time 11:25 - 12:25

Measured Observations

Item	Location	Measurement	Comments
Eggs	Walk in Cooler	40.00 Fahrenheit	
Sliced Tomatoes	Cold Hold Unit Insert	38.00 Fahrenheit	
Water	Mop Sink	120.00 Fahrenheit	Facilities Held in Common
Chicken	Walk in Cooler	40.00 Fahrenheit	
Sausage	Upright Cooler	38.00 Fahrenheit	
Eggs Cooked	Prep Line	61.00 Fahrenheit	
Spam	Upright Cooler	40.00 Fahrenheit	
Water	Handwash Sink	100.00 Fahrenheit	
Turkey	Cold Hold Unit Insert	38.00 Fahrenheit	
Sausage Patty	Upright Freezer	10.00 Fahrenheit	
Water	Three Compartment Sink	120.00 Fahrenheit	

Overall Comments:

Notes:

- Facility has replaced the drop ceiling tiles with new like for like units, remove the plastic in between the new ceiling tiles.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/18/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Quang
Owner
Signed On: December 04, 2025