

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0258182 - SANTA CLARA GAS		Site Address 3725 EL CAMINO REAL, SANTA CLARA, CA 95051		Inspection Date 02/04/2025		Placard Color & Score GREEN 94		
Program PR0377958 - LIMITED FOOD SERVICE CAT 2 - FP76			Owner Name HSH PETROLEUM, INC		Inspection Time 10:00 - 11:00			
Inspected By FRANK LEONG		Inspection Type ROUTINE INSPECTION		Consent By JORGE SILVA				FSC YESIKA BAQUERO 02/15/2029

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible			X				N
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0258182 - SANTA CLARA GAS		Site Address 3725 EL CAMINO REAL, SANTA CLARA, CA 95051	Inspection Date 02/04/2025
Program PR0377958 - LIMITED FOOD SERVICE CAT 2 - FP76		Owner Name HSH PETROLEUM, INC	Inspection Time 10:00 - 11:00
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Observed hand soap stored away from the handwash station. [CA] Ensure handsoap is provided from a dispenser and store at the handwash station to allow for proper handwashing.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: At the 3 compartment sink, measured hot water at 110F. [CA] Ensure hot water is provided at all warewash sinks and mop sinks at 120F. Hot water at handwash sinks shall be provided between 100F and 108F.

Performance-Based Inspection Questions

Needs Improvement - Adequate handwash facilities: supplied or accessible.

Measured Observations

Item	Location	Measurement	Comments
ice cream	reach in freezer	2.00 Fahrenheit	
ambient air temperature	reach in refrigerator (celsius)	41.00 Fahrenheit	
ambient air temperature	reach in refrigerator (red bull)	40.00 Fahrenheit	
orange juice	reach in refrigerator/walk-in refrigerator	41.00 Fahrenheit	
ambient air temperature	reach in refrigerator (monster)	39.00 Fahrenheit	
hot water	3 compartment sink	110.00 Fahrenheit	
naked juice	reach in refrigerator/walk-in refrigerator	41.00 Fahrenheit	
ambient air temperature	reach in refrigerator (smart water)	34.00 Fahrenheit	
hot water	handwash sink	100.00 Fahrenheit	
egg and sausage burrito	display refrigerator	38.00 Fahrenheit	
ambient air temperature	2 door reach in freezer	13.00 Fahrenheit	
hot water	hot water dispenser	172.00 Fahrenheit	
tuna salad	display refrigerator	40.00 Fahrenheit	

Overall Comments:

OWNERSHIP CHANGE INFORMATION

NEW FACILITY NAME: SANTA CLARA GAS

NEW OWNER: HSH PETROLEUM INC.

The applicant has completed the facility evaluation application process for an Environmental Health Permit.

The permit category for this facility is FP76. An invoice for the permit fee in the amount of \$268.00 will be mailed to the billing address on the application. Payment must be submitted within 10 days of receipt of the invoice. The owner is responsible for contacting our department if an invoice is not received and remit payment within 30 days.

The Environmental Health Permit will be effective: 03/01/2025 - 02/28/2026 This report serves as a temporary permit. However, the permit will be deemed invalid if the permit fee is not paid in full within 30 days from the date of this report. Okay to Operate.

OFFICIAL INSPECTION REPORT

Facility FA0258182 - SANTA CLARA GAS	Site Address 3725 EL CAMINO REAL, SANTA CLARA, CA 95051	Inspection Date 02/04/2025
Program PR0377958 - LIMITED FOOD SERVICE CAT 2 - FP76	Owner Name HSH PETROLEUM, INC	Inspection Time 10:00 - 11:00

An official permit will be mailed to the address on file and shall be posted in public view upon receipt.

****Structural Review inspection conducted on 02/04/2025***

****Permit condition: n/a***

****Obtain food safety manager certificate within 60 days. All other food employees must have valid food handler cards within 30 days from hire date.***

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **2/18/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: JORGE SILVA
MANAGER

Signed On: February 04, 2025